This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

Google™ books

https://books.google.com



NYPL RESEARCH LIBRARIES
3 3433 10997 2095

Digitized by Google

Handbook

TOL

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

JUN 23 1918
Front cover missing



Digitized by Google

Digitized by Google

FIFTEENTH ANNUAL
HAND BOOK OF
AUTOMOBILES

Digitized by Google

Digitized by Google

Hand Book of Automobiles

1918

S.E.

NEW YORK PUBLIC LIBRARY

NATIONAL AUTOMOBILE CHAMBER of COMMERCE
INCORPORATED
7 EAST 42D STREET, NEW YORK, U. S. A.

Digitized by Google

828942

Copyright, 1918, by the
NATIONAL AUTOMOBILE CHAMBER OF COMMERCE, Inc.
New York City

Engraved and Printed by
Redfield-Kendrick-Odell Co., Inc.
New York

Digitized by Google

FIFTEENTH ANNUAL ANNOUNCEMENT

IN the fifteenth ANNUAL HAND BOOK are described, with illustrations and principal specifications, the products of the leading makers of motor cars in the United States who are members of the NATIONAL AUTOMOBILE CHAMBER OF COMMERCE.

To provide a method of comparison, the details of construction and equipment of passenger cars and trucks are given in uniform style and in the most concise form.

Additional details, with a complete catalogue descriptive of their products, may be obtained directly from the individual manufacturers listed herein and also from their dealers in the principal cities and towns in the United States and foreign countries.

Prices are given as of approximately December 1, but, owing to unusual conditions created by the war, all prices and specifications are necessarily subject to change without notice.

NATIONAL AUTOMOBILE
CHAMBER OF COMMERCE, INC.

January, 1918

Digitized by Google

ORGANIZATION OF

NATIONAL AUTOMOBILE CHAMBER OF COMMERCE

(INCORPORATED)

7 East 42d Street NEW YORK, U. S. A.

OFFICERS

CHARLES CLIFTON, *President* Pierce-Arrow Motor Car Company
HUGH CHALMERS, *Vice-President* Chalmers Motor Company
H. H. RICE, *Second Vice-President* Chevrolet Motor Company
Passenger Car Division
WINDSOR T. WHITE, *Second Vice-President* . The White Motor Company
Commercial Vehicle Division
R. D. CHAPIN, *Secretary* Hudson Motor Car Company
GEORGE POPE, *Treasurer* . National Automobile Chamber of Commerce
ALFRED REEVES, *General Manager*
National Automobile Chamber of Commerce
S. A. MILES, *Show Manager* . National Automobile Chamber of Commerce

BOARD OF DIRECTORS

HUGH CHALMERS Chalmers Motor Company
R. D. CHAPIN Hudson Motor Car Company
C. W. CHURCHILL The Winton Company
CHARLES CLIFTON Pierce-Arrow Motor Car Company
R. H. COLLINS Cadillac Motor Car Company
JOHN F. DODGE Dodge Brothers
J. WALTER DRAKE Hupp Motor Car Corporation
C. C. HANCH Studebaker Corporation
ALVAN MACAULEY Packard Motor Car Company
W. E. METZGER Columbia Motors Company
R. E. OLDS Reo Motor Car Company
CARL H. PELTON Maxwell Motor Company
H. H. RICE Chevrolet Motor Company
WINDSOR T. WHITE The White Motor Company
JOHN N. WILLYS Willys-Overland Company

PATENTS COMMITTEE

C. C. HANCH, *Chairman* Studebaker Corporation
WINDSOR T. WHITE The White Motor Company
A. L. RIKER Locomobile Company of America
C. W. CHURCHILL The Winton Company
CARL H. PELTON Maxwell Motor Company

Digitized by Google

COMMERCIAL VEHICLE COMMITTEE

WINDSOR T. WHITE, *Chairman* The White Motor Company
ALVAN MACAULEY Packard Motor Car Company
H. KERR THOMAS Pierce-Arrow Motor Car Company
P. D. WAGONER General Vehicle Company
M. L. PULCHER Federal Motor Truck Company

LEGISLATIVE COMMITTEE

H. H. RICE, *Chairman* Chevrolet Motor Company
J. WALTER DRAKE Hupp Motor Car Corporation
J. I. FARLEY Auburn Automobile Company

GOOD ROADS COMMITTEE

R. D. CHAPIN, *Chairman* Hudson Motor Car Company
WILLIAM E. METZGER Columbia Motors Company
ROYAL R. SCOTT Willys-Overland Company

TRAFFIC COMMITTEE

WILLIAM E. METZGER, *Chairman* Columbia Motors Company
A. I. PHILP Dodge Brothers
F. C. CHANDLER Chandler Motor Car Company

ELECTRIC VEHICLE COMMITTEE

W. C. ANDERSON, *Chairman* Anderson Electric Car Company
FRED R. WHITE Baker R & L Company
H. W. SUYDAM Milburn Wagon Company

HAND BOOK COMMITTEE

CARL H. PELTON, *Chairman* Maxwell Motor Company
HARRY M. JEWETT Paige-Detroit Motor Car Company
DAVID S. LUDLUM Autocar Company

MEMBERSHIP COMMITTEE

J. WALTER DRAKE, *Chairman* Hupp Motor Car Corporation
HUGH CHALMERS Chalmers Motor Company
C. W. CHURCHILL The Winton Company

SHOWS

GEORGE POPE, *Chairman* . National Automobile Chamber of Commerce

EXPORT COMMITTEE

J. WALTER DRAKE, *Chairman* Hupp Motor Car Corporation
PETER S. STEENSTRUP General Motors Company
H. M. ROBINS Dodge Brothers
JAY RATHBUN The White Motor Company
R. T. WILLIAMS Willys-Overland Company
R. T. HODGKINS Studebaker Corporation

Digitized by Google

ALPHABETICAL INDEX

GASOLINE PASSENGER VEHICLES

	PAGES
Allen Motor Company	54
Apperson Brothers Automobile Company	46–47
Auburn Automobile Company	112–113
Austin Automobile Company	121
Barley Motor Car Company	126
Bartholomew Company	68
Brewster & Co.	60
Briscoe Motor Corporation	90
Buick Motor Company	85–87
Cadillac Motor Car Company	50–51
J. I. Case T. M. Company	61–63
Chalmers Motor Company	24
Chandler Motor Car Company	108–109
Chevrolet Motor Company	118–120
Cole Motor Car Company	127–129
Columbia Motors Company	17
Crow-Elkhart Motor Co	45
Jas. Cunningham, Son & Co.	72
Geo. W. Davis Motor Car Co.	111
Dodge Brothers	18
Dorris Motor Car Co.	104–105
Dort Motor Car Company	44
Elkhart Carriage & Motor Car Company	88–89
Elgin Motor Car Company	123
Empire Automobile Company	42–43
F. I. A. T.	41
H. H. Franklin Mfg. Co.	122
Grant Motor Car Corporation	134
Hackett Motor Car Company	150
Hal Motor Car Company	135
Haynes Automobile Company	130–133
Hudson Motor Car Company	140–143
Hupp Motor Car Corporation	138–139
Inter-State Motor Company	136
Jackson Automobile Company	110
Jordan Motor Car Company	137
King Motor Car Company	19–21
Kissel Motor Car Company	55–57
Kline Car Corporation	15
Lewis Spring & Axle Co.	80–81
Lexington-Howard Company	70–71
Liberty Motor Car Company	53
Locomobile Company of America	58–59
McFarlan Motor Company	94–95
Maxwell Motor Company	102
Mercer Automobile Company	96–98
Mitchell Motors Company	48–49
Moline Automobile Company	84
Moline Plow Company—Stephens Motor Branch	148–149
Monroe Motor Company	116
Moon Motor Car Company	52
Mutual Motors Company	151
Nash Motors Company	144
National Motor Car & Vehicle Corporation	78–79
Nordyke & Marmon Company	66–67
Oakland Motor Car Company	100–101
Olds Motor Works	64–65
Packard Motor Car Company	82–83
Paige-Detroit Motor Car Company	76–77
W. A. Paterson Company	99
Peerless Motor Car Company	114–115
Pierce-Arrow Motor Car Company	25–35
Premier Motor Corporation	145–147
Regal Motor Car Company	16
Reo Motor Car Company	36–37
Saxon Motor Car Corporation	69
Scripps-Booth Corporation	152–153
Simplex Automobile Company	117
Standard Steel Car Company	103
F. B. Stearns Company	124–125
Studebaker Corporation	91–93
Stutz Motor Car Company	74–75
Velie Motors Corporation	106–107
Westcott Motor Car Company	73
White Motor Company	38–40
Willys-Overland, Inc.	154–159
The Winton Company	22–23

Digitized by Google

ALPHABETICAL INDEX—Continued

ELECTRIC VEHICLES

	PAGES
Anderson Electric Car Company	163
Baker R & L Company	168
General Vehicle Company	169
Milburn Wagon Company	164
Ohio Electric Car Company	166–167
Woods Motor Vehicle Company	165

GASOLINE COMMERCIAL VEHICLES

American-La France Fire Engine Company	186–187
Atterbury Motor Car Company	210–212
Autocar Company	194
Brockway Motor Truck Company	224
Buick Motor Company	176
Commerce Motor Car Company	214
Dorris Motor Car Company	201
Federal Motor Truck Company	222–223
Garford Motor Truck Company	180–182
General Motors Truck Company	191
Kelly-Springfield Motor Truck Company	177–179
Kissel Motor Car Company	173–175
Kleiber & Company	213
Locomobile Company of America	204–205
Mack Brothers Motor Car Company	199
Moreland Motor Truck Company	219
Nash Motors Company	225
Packard Motor Car Company	198
Peerless Motor Car Company	220
Pierce-Arrow Motor Car Company	184–185
Reo Motor Car Company	183
Republic Motor Truck Company	217
Saurer Motor Company	200
G. A. Schacht Motor Truck Company	188–189
Selden Motor Vehicle Company	202–203
Service Motor Truck Company	196–197
Sterling Motor Truck Company	221
Stewart Motor Corporation	215–216
Studebaker Corporation	192–193
Velie Motors Corporation	190
Vim Motor Truck Company	195
Walter Motor Truck Company	218
White Motor Company	206–209

Digitized by Google

INDEX OF TRADE NAMES

GASOLINE PASSENGER VEHICLES

	PAGES
Allen	54
Apperson	46–47
Auburn	112–113
Austin	121
Brewster	60
Briscoe	90
Buick	85–87
Cadillac	50–51
Case	61–63
Chalmers	24
Chandler	108–109
Chevrolet	118–120
Cole	127–129
Columbia	17
Crow-Elkhart	45
Cunningham	72
Davis	111
Dodge Brothers	18
Dorris	104–105
Dort	44
Elcar	88–89
Elgin	123
Empire	42–43
Fiat	41
Franklin	122
Glide	68
Grant	134
Hackett	150
Hal	135
Haynes	130–133
Hollier	80–81
Hudson	140–143
Hupmobile	138–139
Inter-State	136
Jackson	110
Jordan	137
King	19–21
Kissel	55–57
Kline Kar	15
Lexington	70–71
Liberty	53
Locomobile	58–59
Marion-Handley	151
Marmon	66–67
McFarlan	94–95
Maxwell	102
Mercer	96–98
Mitchell	48–49
Moline-Knight	84
Monroe	116
Moon	52
Nash	144
National	78–79
Oakland	100–101
Oldsmobile	64–65
Overland	154–156
Packard	82–83
Paige	76–77
Paterson	99
Peerless	114–115
Pierce-Arrow	25–35
Premier	145–147
Regal	16
Reo	36–37
Roamer	126
Saxon	69
Scripps-Booth	152–153
Simplex-Crane	117
Standard	103
Stearns	124–125
Stephens	148–149
Studebaker	91–93
Stutz	74–75
Velie	106–107
Westcott	73
White	38–40
Willys-Knight	158–159
Willys-Six	157
Winton	22–23

Digitized by Google

INDEX OF TRADE NAMES—Continued

ELECTRIC VEHICLES

	PAGES		PAGES
Detroit Electric	163	Ohio Electric	166–167
G. V. Electric	169	Rauch & Lang	168
Milburn	164	Woods	165

GASOLINE COMMERCIAL VEHICLES

American-La France	186–187	Peerless	220
Atterbury	210–212	Pierce-Arrow	184–185
Autocar	194	Reo	183
Brockway	224	Republic	217
Buick	176	Riker	204–205
Commerce	214	Saurer	200
Dorris	201	Schacht	188–189
Federal	222–223	Selden	202–203
Garford	180–182	Service	196–197
G. M. C.	191	Sterling	221
Kelly-Springfield	177–179	Stewart	215–216
Kissel	173–175	Studebaker	192–193
Kleiber	213	Velie	190
Mack	199	Vim	195
Moreland	219	Walter	218
Nash	225	White	206–209
Packard	198		

Digitized by Google

N. A. C. C. HORSE-POWER RATING

The standard horse-power rating, formerly known as the A. L. A. M. Rating, has been officially adopted by the National Automobile Chamber of Commerce, Inc.

The formula adopted is $\frac{D^2 \times N}{2.5}$. D is the cylinder bore in inches, N the number of cylinders, and 2.5 a constant, based on the average view of eminent engineers as to a fair, conservative rating for a four-cycle motor at one thousand feet per minute piston speed.

TABLE OF HORSE-POWER FOR USUAL SIZES OF MOTORS

Ins.	2 cyls.	4 cyls.	6 cyls.	8 cyls.	12 cyls.
2 1/2	5.00	10.00	15.00	20.00	30.00
2 5/8	5.50	11.03	16.54	22.05	33.08
2 3/4	6.00	12.10	18.15	24.20	36.30
2 7/8	6.62	13.23	19.84	26.45	39.68
3	7.20	14.40	21.60	28.80	43.20
3 1/8	7.81	15.63	23.44	31.25	46.88
3 1/4	8.50	16.90	25.35	33.80	50.70
3 3/8	9.12	18.23	27.34	36.45	54.68
3 1/2	9.80	19.60	29.40	39.20	58.80
3 5/8	10.50	21.03	31.54	42.05	63.08
3 3/4	11.25	22.50	33.75	45.00	67.50
3 7/8	12.00	24.03	36.04	48.05	72.08
4	12.80	25.60	38.40	51.20	76.80
4 1/8	13.62	27.23	40.84	54.45	81.68
4 1/4	14.50	28.90	43.35	57.80	86.70
4 3/8	15.31	30.63	45.94	61.25	91.88
4 1/2	16.20	32.40	48.60	64.80	97.20
4 5/8	17.12	34.23	51.34	68.45	102.68
4 3/4	18.00	36.10	54.15	72.20	108.30
4 7/8	19.00	38.03	57.04	76.05	114.08
5	20.00	40.00	60.00	80.00	120.00
5 1/8	21.00	42.03	63.04	84.05	126.08
5 1/4	22.00	44.10	66.15	88.20	132.30
5 3/8	23.00	46.23	69.34	92.45	138.68
5 1/2	24.20	48.40	72.60	96.80	145.20
5 5/8	25.31	50.63	75.94	101.25	151.88
5 3/4	26.50	52.90	79.35	105.80	158.70
5 7/8	27.62	55.23	82.84	110.45	165.68
6	28.80	57.60	86.40	115.20	172.80

Digitized by Google

ILLUSTRATIONS AND SPECIFICATIONS GASOLINE PASSENGER VEHICLES


Digitized by Google

Digitized by Google

KLINE CAR CORPORATION

RICHMOND VIRGINIA

Price	$1495
Four-Passenger Sport-Tour.	1495
Four-Passenger Shamrock	1495
Two- and Three-Passenger Runabout	1495
Five-Passenger Sedan	2220



KLINE KAR TOURING—SERIES 6-38

COLOR	Body, dark green; running gear, black	LUBRICATION	Force feed and splash
SEATING CAPACITY	Five	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	120 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	34 x 4 inches	LIGHTING SYSTEM	Electric
REAR TIRES	34 x 4 inches, anti-skid	VOLTAGES	Six
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Six	CLUTCH	Plate
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	25.35	DRIVE	Spiral bevel
BORE AND STROKE	3¼ x 4½ inches	REAR AXLE	Full floating
		STEERING GEAR	Worm and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

REGAL MOTOR CAR COMPANY

DETROIT MICHIGAN

Price, $795



REGAL HIGH POWER FOUR TOURING—J

COLOR	Body, blue; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	108 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	30 x 3½ inches,
REAR TIRES	30 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 4¾ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to seven
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

COLUMBIA
MOTORS
COMPANY

DETROIT
MICHIGAN

Price	$1350
Four-Passenger Sport	1495
Five-Passenger Sedan	1995



COLUMBIA SIX TOURING—C

COLOR	Body, Columbia blue or maroon; running gear, black	BORE AND STROKE	3¼ x 4½ inches
SEATING CAPACITY	Five	LUBRICATION	Force feed and splash
POSITION OF DRIVER	Left side	RADIATOR	Cellular
WHEELBASE	115 inches	COOLING	Water pump
GAUGE	56 inches	IGNITION	Storage battery
WHEELS	Wood	STARTING SYSTEM	Two unit
FRONT TIRES	32 x 4 inches	STARTER OPERATED	Gear to fly wheel
REAR TIRES	32 x 4 inches	LIGHTING SYSTEM	Electric
SERVICE BRAKE	Contracting on rear wheels	VOLTAGES	Six
EMERGENCY BRAKE	Expanding on rear wheels	WIRING SYSTEM	Single
CYLINDERS	Six	GASOLINE SYSTEM	Vacuum
ARRANGED	Vertically	CLUTCH	Dry plate
CAST	En bloc	TRANSMISSION	Selective sliding
HORSEPOWER (N.A.C.C. Rating)	25.35	GEAR CHANGES	Three forward, one reverse
		DRIVE	Spiral bevel
		REAR AXLE	Semi-floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

DODGE BROTHERS

DETROIT MICHIGAN

Price	$885
Two-Passenger Roadster	885
Five-Passenger Convertible Sedan	1350
Two-Passenger Convertible Coupe	1350
Five-Passenger Winter Touring	1050
Two-Passenger Winter Roadster	1050



DODGE BROTHERS TOURING—5

Color	Black
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	114 inches
Gauge	56 inches
Wheels	Wood
Front Tires	32 x 3½ inches
Rear Tires	32 x 3½ inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	24.03
Bore and Stroke	3⅞ x 4½ inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Water pump
Ignition	Storage battery
Starting System	Single unit
Starter Operated	Chain to crank shaft
Lighting System	Electric
Voltages	Twelve
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and worm wheel


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

KING MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$2300**
Three-Passenger Roadster	**2150**
Seven-Passenger Touring	**2150**
Seven-Passenger Sedan	**2900**



KING EIGHT FOURSOME

COLOR	Drab green
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	120 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	28.8
BORE AND STROKE	3 x 5 inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and split nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

KING MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$2150**
Three-Passenger Roadster	**2150**
Four-Passenger Foursome	**2300**
Seven-Passenger Sedan	**2900**



KING EIGHT TOURING

COLOR	Phaeton green
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	120 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	28.8
BORE AND STROKE	3 x 5 inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and split nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

KING MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	$2900
Three-Passenger Roadster	2150
Four-Passenger Foursome	2300
• Seven-Passenger Touring	2150



KING EIGHT SEDAN

Color	Beaver brown, deep maroon or suburban blue
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	120 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Eight
Arranged	V type, 90 degrees
Cast	In fours
Horsepower (N.A.C.C. Rating)	28.8
Bore and Stroke	3 x 5 inches
Lubrication	Force feed
Radiator	Tubular
Cooling	Thermo-syphon
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and split nut


In addition to above specifications, price includes windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

THE WINTON
COMPANY

CLEVELAND, OHIO

Price	$2950
Four-Passenger Touring	2950
Six-Passenger Touring	3000
Seven-Passenger Touring	3000
Runabout	2950
Three-Quarter Limousine	3950
Full Four-Door Limousine	4200
Sedan	4200
Limousine Landaulet	4200
Coupe	3950
Coupelet	3265



WINTON SIX TOURING—33

Color	Optional
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	128 inches
Gauge	56 inches
Wheels	Wood
Front Tires	36 x 4½ inches
Rear Tires	36 x 4½ inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	33.75
Bore and Stroke	3¾ x 5¼ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

THE WINTON
COMPANY

CLEVELAND, OHIO

Price	$4500
Four-Passenger Touring	3500
Five-Passenger Touring	3500
Six-Passenger Touring	3500
Seven-Passenger Touring	3500
Runabout	3500
Full Four-Door Limousine	4750
Sedan	4750
Limousine Landaulet	4750
Coupe	4500
Coupelet	3750



WINTON SIX LIMOUSINE—48

Color	Optional
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	138 inches
Gauge	56 inches
Wheels	Wood
Front Tires	37 x 5 inches
Rear Tires	37 x 5 inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	48.6
Bore and Stroke	4½ x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

CHALMERS
MOTOR
COMPANY

DETROIT
MICHIGAN

Price	**$1485**
Four-Passenger Duplex	**1485**
Three-Passenger Cabriolet	**1775**
Three-Passenger Roadster	**1485**
Seven-Passenger Touring	**1535**
Seven-Passenger Touring Sedan	**1950**
Seven-Passenger Limousine	**3025**



CHALMERS TOURING

COLOR	Optional
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	117 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and distributor
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$4800
Two-Passenger Runabout	4800
Three-Passenger Runabout	4800
Two-Passenger Coupe	5700
Three-Passenger Coupe	5700
Two-Pass. Convertible Roadster	5700
Three-Pass. Convertible Roadster	5700
Four-Passenger Roadster	4800
Four-Passenger Touring	4800
Brougham	5900
Landaulet	5900
Sedan	5900
Vestibule Brougham	6100
Brougham-Landaulet	5900
Vestibule Landaulet	6100
Vestibuled Brougham-Landaulet	6100
French Brougham	5900
French Brougham-Landaulet	5900
Town Brougham	5900



PIERCE-ARROW TOURING—38-C-4

Color	Optional
Seating Capacity	Five
Position of Driver	Right side
Wheelbase	134 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4½ inches
Rear Tires	34 x 4½ inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	38.4
Bore and Stroke	4 x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW MOTOR CAR COMPANY

BUFFALO NEW YORK

Price	**$5900**
Two-Passenger Runabout	**4800**
Three-Passenger Runabout	**4800**
Two-Passenger Coupe	**5700**
Three-Passenger Coupe	**5700**
Two-Pass. Convertible Roadster	**5700**
Three-Pass. Convertible Roadster	**5700**
Four-Passenger Roadster	**4800**
Four-Passenger Touring	**4800**
Five-Passenger Touring	**4800**
Landaulet	**5900**
Sedan	**5900**
Vestibule Brougham	**6100**
Brougham-Landaulet	**5900**
Vestibule Landaulet	**6100**
Vestibuled Brougham-Landaulet	**6100**
FrenchjBrougham	**5900**
French Brougham-Landaulet	**5900**
Town Brougham	**5900**



PIERCE-ARROW BROUGHAM—38-C-4

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Right side
WHEELBASE	134 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	38.4
BORE AND STROKE	4 x 5½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Pressure
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes windshield, speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$5900
Two-Passenger Runabout	4800
Three-Passenger Runabout	4800
Two-Passenger Coupe	5700
Three-Passenger Coupe	5700
Two-Pass. Convertible Roadster	5700
Three-Pass. Convertible Roadster	5700
Four-Passenger Roadster	4800
Four-Passenger Touring	4800
Five-Passenger Touring	4800
Landaulet	5900
Sedan	5900
Vestibule Brougham	6100
Brougham-Landaulet	5900
Vestibule Landaulet	6100
Vestibuled Brougham-Landaulet	6100
French Brougham	5900
French Brougham-Landaulet	5900
Brougham	5900



PIERCE-ARROW TOWN BROUGHAM—38-C-4

Color	Optional
Seating Capacity	Six
Position of Driver	Right side
Wheelbase	134 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4½ inches
Rear Tires	34 x 4½ inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	38.4
Bore and Stroke	4 x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes windshield, speedometer, autometer, tire pump, electric horn and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$5400
Two-Passenger Runabout	5400
Three-Passenger Runabout	5400
Two-Passenger Coupe	6400
Three-Passenger Coupe	6400
Two-Pass. Convertible Roadster	6400
Three-Pass. Convertible Roadster	6400
Four-Passenger Touring	5400
Five-Passenger Touring	5400
Brougham	6600
Suburban	6800
Landau	6800
Suburban-Landau	6800
Vestibule Suburban	7000
Vestibule Landau	7000
Vestibule Brougham	6800
Vestibule Suburban-Landau	7000



PIERCE-ARROW RUNABOUT—48-B-4

Color	Optional
Seating Capacity	Four
Position of Driver	Right side
Wheelbase	142 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	48.6
Bore and Stroke	4½ x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$6400
Two-Passenger Runabout	5400
Three-Passenger Runabout	5400
Two-Passenger Coupe	6400
Three-Passenger Coupe	6400
Two-Pass. Convertible Roadster	6400
Three-Pass. Convertible Roadster	6400
Four-Passenger Touring	5400
Five-Passenger Touring	5400
Brougham	6600
Suburban	6800
Landau	6800
Suburban-Landau	6800
Vestibule Suburban	7000
Vestibule Landau	7000
Vestibule Brougham	6800
Vestibule Suburban-Landau	7000



PIERCE-ARROW COUPE—48-B-4

COLOR	Optional
SEATING CAPACITY	Four
POSITION OF DRIVER	Right side
WHEELBASE	142 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	48.6
BORE AND STROKE	4½ x 5½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Pressure
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW MOTOR CAR COMPANY

BUFFALO NEW YORK

Price	$5400
Two-Passenger Runabout	5400
Three-Passenger Runabout	5400
Two-Passenger Coupe	6400
Three-Passenger Coupe	6400
Two-Pass. Convertible Roadster	6400
Three-Pass. Convertible Roadster	6400
Four-Passenger Touring	5400
Five-Passenger Touring	5400
Seven-Passenger Touring	5500
Brougham	6600
Suburban	6800
Landau	6800
Suburban-Landau	6800
Vestibule Suburban	7000
Vestibule Landau	7000
Vestibule Brougham	6800
Vestibule Suburban-Landau	7000



PIERCE-ARROW ROADSTER—48-B-4

Color	Optional
Seating Capacity	Four
Position of Driver	Right side
Wheelbase	142 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	48.6
Bore and Stroke	4½ x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW MOTOR CAR COMPANY

BUFFALO NEW YORK

Price	$6600
Two-Passenger Runabout	5400
Three-Passenger Runabout	5400
Two-Passenger Coupe	6400
Three-Passenger Coupe	6400
Two-Pass. Convertible Roadster	6400
Three-Pass. Convertible Roadster	6400
Four-Passenger Touring	5400
Five-Passenger Touring	5400
Brougham	6600
Suburban	6800
Landau	6800
Suburban-Landau	6800
Vestibule Suburban	7000
Vestibule Landau	7000
Vestibule Brougham	6800
Vestibule Suburban-Landau	7000



PIERCE-ARROW FRENCH BROUGHAM—48-B-4

Color	Optional
Seating Capacity	Seven
Position of Driver	Right side
Wheelbase	142 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	48.6
Bore and Stroke	4½ x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes windshield, speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW MOTOR CAR COMPANY

BUFFALO NEW YORK

Price	$5500
Two-Passenger Runabout	5400
Three-Passenger Runabout	5400
Two-Passenger Coupe	6400
Three-Passenger Coupe	6400
Two-Pass. Convertible Roadster	6400
Three-Pass. Convertible Roadster	6400
Four-Passenger Touring	5400
Five-Passenger Touring	5400
Brougham	6600
Suburban	6800
Landau	6800
Suburban-Landau	6800
Vestibule Suburban	7000
Vestibule Landau	7000
Vestibule Brougham	6800
Vestibule Suburban-Landau	7000



PIERCE-ARROW TOURING—48-B-4

Color	Optional	Radiator	Cellular
Seating Capacity	Seven	Cooling	Water pump
Position of Driver	Right side	Ignition	High tension magneto and storage battery
Wheelbase	142 inches		
Gauge	56 inches	Starting System	Two unit
Wheels	Wood	Starter Operated	Gear to fly wheel
Front Tires	35 x 5 inches	Lighting System	Electric
Rear Tires	35 x 5 inches	Voltages	Six
Service Brake	Expanding on rear wheels	Wiring System	Single
Emergency Brake	Contracting on rear wheels	Gasoline System	Pressure
Cylinders	Six	Clutch	Cone
Arranged	Vertically	Transmission	Selective sliding
Cast	In pairs	Gear Changes	Four forward, one reverse
Horsepower (N.A.C.C. Rating)	48.6	Drive	Spiral bevel
Bore and Stroke	4½ x 5½ inches	Rear Axle	Semi-floating
Lubrication	Force feed	Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, autometer and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$6800
Two-Passenger Runabout	5400
Three-Passenger Runabout	5400
Two-Passenger Coupe	6400
Three-Passenger Coupe	6400
Two-Passenger Convertible Roadster	6400
Three-Passenger Convertible Roadster	6400
Four-Passenger Touring	5400
Five-Passenger Touring	5400
Seven-Passenger Touring	5500
Brougham	6600
Suburban	6800
Landau	6800
Vestibule Suburban	7000
Vestibule Landau	7000
Vestibule Brougham	6800
Vestibule Suburban Landau	7000



PIERCE-ARROW SUBURBAN LANDAU—48-B-4

Color	Optional
Seating Capacity	Seven
Position of Driver	Right side
Wheelbase	142 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	48.6
Bore and Stroke	4½ x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes windshield, speedometer, autometer, and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$8000
Two-Passenger Runabout	6400
Three-Passenger Runabout	6400
Two-Passenger Coupe	7400
Three-Passenger Coupe	7400
Two-Passenger Convertible Roadster	7400
Three-Passenger Convertible Roadster	7400
Four-Passenger Touring	6400
Five-Passenger Touring	6400
Seven-Passenger Touring	6500
Brougham	7600
Suburban	7800
Landau	7800
Suburban-Landau	7800
Vestibule Landau	8000
Vestibule Brougham	7800
Vestibule Suburban-Landau	8000



PIERCE-ARROW VESTIBULE SUBURBAN—66-A-4

Color	Optional
Seating Capacity	Seven
Position of Driver	Right side
Wheelbase	147½ inches
Gauge	57 inches
Wheels	Wood
Front Tires	36 x 5½ inches
Rear Tires	36 x 5½ inches
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	60
Bore and Stroke	5 x 7 inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Screw and nut


In addition to above specifications, price includes windshield, speedometer, autometer, and demountable rims.

Digitized by Google

PIERCE-ARROW
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price	$6500
Two-Passenger Runabout	6400
Three-Passenger Runabout	6400
Two-Passenger Coupe	7400
Three-Passenger Coupe	7400
Two-Passenger Convertible Roadster	7400
Three-Passenger Convertible Roadster	7400
Four-Passenger Touring	6400
Five-Passenger Touring	6400
Brougham	7600
Suburban	7800
Landau	7800
Suburban-Landau	7800
Vestibule Suburban	8000
Vestibule Landau	8000
Vestibule Brougham	7800
Vestibule Suburban-Landau	8000



PIERCE-ARROW TOURING—66-A-4

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Right side
WHEELBASE	147½ inches
GAUGE	57 inches
WHEELS	Wood
FRONT TIRES	36 x 5½ inches
REAR TIRES	36 x 5½ inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	60
BORE AND STROKE	5 x 7 inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Pressure
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, autometer, and demountable rims.

Digitized by Google

REO MOTOR CAR COMPANY

LANSING MICHIGAN

Price **$1225**
Three-Passenger Roadster . . . **1225**



REO TOURING—T

COLOR	Body, marine blue; wheels, cream; gear and fenders, black
SEATING CAPACITY. .	Five
POSITION OF DRIVER	Left side
WHEELBASE	120 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	27.23
BORE AND STROKE .	4⅛ x 4½ inches
LUBRICATION	Pump over and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Chain to transmission shaft
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Double
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR . . .	Pinion and sector


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims

Digitized by Google

REO MOTOR CAR COMPANY

LANSING MICHIGAN

Price	**$1550**
Four-Passenger Roadster	**1550**
Four-Passenger Enclosed Roadster	**1750**



REO TOURING—M

COLOR	Body, golden olive; wheels, brown	LUBRICATION	Pump over and splash
SEATING CAPACITY	Seven	RADIATOR	Tubular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	126 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Chain to transmission
FRONT TIRES	34 x 4½ inches	LIGHTING SYSTEM	Electric
REAR TIRES	34 x 4½ inches, anti-skid	VOLTAGES	Six
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Double
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Six	CLUTCH	Dry multiple disc
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	In threes	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	30.4	DRIVE	Spiral bevel
BORE AND STROKE	3 7/16 x 5⅛ inches	REAR AXLE	Full floating
		STEERING GEAR	Pinion and sector


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

THE WHITE
MOTOR
COMPANY

CLEVELAND, OHIO

Price	**$5000**
Limousine	**6200**
Cabriolet	**6400**
Landaulet	**6200**
Chassis	**3900**



WHITE SIXTEEN-VALVE FOUR TOURING—GM

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	137½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5¾ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and sector


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

THE WHITE
MOTOR
COMPANY

CLEVELAND, OHIO

Price	$6050
Runabout	5000
Sedan	6050
Town Car	6050
Town Car Landaulet	6050
Chassis	3850



WHITE SIXTEEN-VALVE FOUR COUPE—GMT

Color	Optional	Lubrication	Full force feed
Seating Capacity	Three	Radiator	Cellular
Position of Driver	Left side	Cooling	Water pump
Wheelbase	124½ inches	Ignition	High tension magneto
Gauge	56 inches	Starting System	Two unit
Wheels	Wood	Starter Operated	Gear to fly wheel
Front Tires	35 x 5 inches	Lighting System	Electric
Rear Tires	35 x 5 inches	Voltages	Twelve
Service Brake	Contracting on rear wheels	Wiring System	Double
Emergency Brake	Expanding on rear wheels	Gasoline System	Vacuum
Cylinders	Four	Clutch	Plate
Arranged	Vertically	Transmission	Selective sliding
Cast	En bloc	Gear Changes	Four forward, one reverse
Horsepower (N.A.C.C. Rating)	28.9	Drive	Spiral bevel
Bore and Stroke	4¼ x 5¾ inches	Rear Axle	Semi-floating
		Steering Gear	Worm and sector


In addition to above specifications, price includes speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

THE WHITE
MOTOR
COMPANY

CLEVELAND, OHIO

Price	$6200
Touring	5000
Cabriolet	6400
Landaulet	6200
Chassis	3900



WHITE SIXTEEN-VALVE FOUR LIMOUSINE—GM

Color	Optional
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	137½ inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	28.9
Bore and Stroke	4¼ x 5¾ inches
Lubrication	Full force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Twelve
Wiring System	Double
Gasoline System	Vacuum
Clutch	Single plate in oil
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Worm and sector


In addition to above specifications, price includes speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

F I A T

501 FIFTH AVENUE
NEW YORK CITY

Price	**$6500**
Seven-Passenger Touring	**5500**
Seven-Passenger Limousine	**6500**



FIAT BROUGHAM—E-17

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Right side
WHEELBASE	140 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	42.03
BORE AND STROKE	5⅛ x 6¾ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Double
GASOLINE SYSTEM	Pressure
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

EMPIRE AUTOMOBILE COMPANY

INDIANAPOLIS INDIANA

Price $1125
Two-Passenger Roadster 1165



EMPIRE TOURING—50

COLOR	Brown or green with cream wheels
SEATING CAPACITY. .	Five
POSITION OF DRIVER .	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 4 inches
REAR TIRES	33 x 4 inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST.	En bloc
HORSEPOWER	24.03 (N.A.C.C. Rating)
BORE AND STROKE .	3⅛ x 5 inches
LUBRICATION	Full splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Gear to fly wheel
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Single
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Single dry plate
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Three-quarters floating
STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

EMPIRE AUTOMOBILE COMPANY

INDIANAPOLIS INDIANA

Price	**$1375**
Five-Passenger Sedan	**1685**
Five-Passenger Touring	**1345**
Four-Passenger Roadster	**1360**



EMPIRE TOURING—70-A

Color	Brown or blue with cream wheels
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	120 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower	25.35 (N.A.C.C. Rating)
Bore and Stroke	3¼ x 4½ inches
Lubrication	Pump and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Single dry plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

DORT MOTOR CAR COMPANY

FLINT, MICHIGAN

Five-Passenger Touring	**Prices on Application**
Three-Passenger Roadster	
Five-Passenger Sedan	
Three-Passenger Coupe	
Five-Passenger Sedanet	



DORT TOURING—11

COLOR	Body, dark green; fenders and hood, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	105 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	30 x 3½ inches
REAR TIRES	30 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Pump over and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

CROW-ELK-
HART MOTOR
COMPANY

ELKHART
INDIANA

Price	$935
Four-Passenger Cloverleaf Roadster	995
Convertible Sedan	1275



CROW-ELKHART TOURING


COLOR	Optional
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	114 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Selective sliding
REAR AXLE	Full floating
STEERING GEAR	Worm and sector

Digitized by Google

APPERSON
BROTHERS
AUTOMOBILE
COMPANY

KOKOMO
INDIANA

Price, $2550



APPERSON CHUMMY ROADSTER—8-18-4

COLOR	Imperial wine, motor car gray, or Brunswick green
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	130 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	33.8
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Single dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

APPERSON BROTHERS AUTOMOBILE COMPANY

KOKOMO INDIANA

Price, $2550



APPERSON TOURING—8-18-7

COLOR	Imperial wine, motor car gray, or Brunswick green
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	130 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	33.8
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Single dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

MITCHELL
MOTORS
COMPANY
INCORPORATED

RACINE
WISCONSIN

Price	$1250
Two-Passenger Roadster	1250
Five-Passenger Touring with Demountable Top	1550
Five-Passenger Club Roadster	1280
Three-Passenger Coupe	1850
Five-Passenger Touring Sedan	1950



MITCHELL TOURING—D-5-40

Color	Body, Mitchell blue; running gear, black
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	120 inches
Gauge	56 inches
Wheels	Wood
Front Tires	32 x 4 inches
Rear Tires	32 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	25.35
Bore and Stroke	3¼ x 5 inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Three-quarters floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rim.

Digitized by Google

MITCHELL
MOTORS
COMPANY
INCORPORATED

RACINE
WISCONSIN

Price	$1525
Four-Passenger Speedster	1660
Three-Passenger Roadster	1490
Five-Passenger Club Roadster	1560
Five-Passenger Touring	1510
Seven-Passenger Touring with Demountable Top	1825
Four-Passenger Cabriolet	1960
Four-Passenger Coupe	2135
Five-Passenger Club Sedan	2185
Seven-Passenger Touring Sedan	2275
Seven-Passenger Limousine	2850
Seven-Passenger Town Car	2850



MITCHELL TOURING—C-7-42

Color	Body, Mitchell blue; wheels, white; running gear, black
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	127 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	29.4
Bore and Stroke	3½ x 5 inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

CADILLAC
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price	
Four-Passenger	
Two-Passenger	
Four-Passenger Convertible Victoria	
Five-Passenger Brougham	



CADILLAC SEVEN-PASSENGER—TYPE 57

Color	Cadillac blue with black trimmings
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	125 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Eight
Arranged	V type, 90 degrees
Cast	In fours
Horsepower (N.A.C.C. Rating)	31.25
Bore and Stroke	3⅛ x 5⅛ inches
Lubrication	Force feed
Radiator	Tubular
Cooling	Water pump
Ignition	High tension erator and st age battery
Starting System	Single unit
Starter Operated	Gear to fly w
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Pressure
Clutch	Dry multiple
Transmission	Selective slidi
Gear Changes	Three forwar reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and se


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

CADILLAC
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price	**$4295**
Limousine	**4145**
Imperial	**4345**
Town Limousine	**4160**
Town Landaulet	**4310**



CADILLAC LANDAULET—TYPE 57

COLOR	Calumet green with black trimmings
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	132 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	31.25
BORE AND STROKE	3⅛ x 5⅛ inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension generator and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Pressure
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and sector


In addition to above specifications, price includes windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

MOON MOTOR CAR COMPANY

ST. LOUIS MISSOURI

Price, $1195



MOON SIX TOURING—36

COLOR	Body, royal blue; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	114 inches
GAUGE	56 inches
WHEELS	Wire or wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.84
BORE AND STROKE	2⅞ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

LIBERTY
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price	**$1350**
Two-Passenger Roadster	**1350**
Four-Passenger Roadster	**1350**
Five-Passenger Sedan	**1925**
Town Car	**2700**
Landaulet	**2700**



LIBERTY SIX TOURING—10-B

COLOR	Body, blue; chassis, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Contracting on transmission
CYLINDERS	Six
ARRANGED	Vertically
CAST	In sixes
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

ALLEN MOTOR COMPANY

FOSTORIA, OHIO

Price$1095
Sedan 1395



ALLEN TOURING—41

COLOR	Body, brown or green; running gear, black
SEATING CAPACITY. .	Five
POSITION OF DRIVER .	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST.	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE .	3¾ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Gear to fly wheel
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Single
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Plate
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE.	Full floating
STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rim.

Digitized by Google

KISSEL MOTOR CAR COMPANY

HARTFORD WISCONSIN

Price	**$1495**
Four-Passenger All-Year Sedané	**2085**
Five-Passenger All-Year Sedan	**1935**



KISSEL HUNDRED-POINT SIX STANDARD TOURING

COLOR	Body, dark blue; hood and fenders, black; wheels, Dayton grey
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	117 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

KISSEL MOTOR CAR COMPANY

HARTFORD WISCONSIN

Price	**$2085**
Five-Passenger All-Year Sedan	**1935**
Five-Passenger Staggered-Door All-Year Sedan	**2085**
Five-Passenger Open Touring	**1495**



KISSEL HUNDRED-POINT SIX ALL-YEAR SEDANÉ

COLOR	Body, dark blue; hood and fenders, black; wheels, Dayton grey
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	117 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

KISSEL MOTOR CAR COMPANY

HARTFORD WISCONSIN

Price	**$2085**
Four-Passenger All-Year Sedané	**2085**
Five-Passenger Open Touring	**1495**



KISSEL HUNDRED-POINT SIX ALL-YEAR SEDAN

COLOR	Body, dark blue; hood and fenders, black; wheels, Dayton grey
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	117 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

LOCOMOBILE COMPANY OF AMERICA

BRIDGEPORT CONNECTICUT

Price	**$5950**
Six-Passenger Touring	**5950**
Four-Passenger Touring	**6050**
Seven-Passenger Limousine	**7200**
Seven-Passenger Landaulet	**7300**
Seven-Passenger Berline	**7400**



LOCOMOBILE TOURING—48 SERIES TWO

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	142 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	37 x 5 inches
REAR TIRES	37 x 5 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	48.6
BORE AND STROKE	4½ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Tandem-dual high tension magneto and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Pressure
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

LOCOMOBILE COMPANY OF AMERICA

BRIDGEPORT CONNECTICUT

Price	**$6200**
Six and Seven-Passenger Touring	**5000**
Four-Passenger Touring	**5150**
Seven-Passenger Landaulet	**6300**
Seven-Passenger Berline	**6400**



LOCOMOBILE LIMOUSINE—38 SERIES TWO

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	139 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	36 x 4½ inches
REAR TIRES	37 x 5 inches,
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	43.35
BORE AND STROKE	4¼ x 5 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Tandem-dual high tension magneto and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGE	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Pressure
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes windshield, speedometer, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

BREWSTER & COMPANY

LONG ISLAND CITY
N E W Y O R K

Price	**$8300**
Open Phaeton	**7700**
Town Brougham	**8300**
Town Landaulet	**8450**
Touring Landaulet	**8800**
Enclosed Drive	**8400**
Limousine	**8500**
Runabout	**7200**



BREWSTER COUNTRY BROUGHAM

COLOR	Optional
SEATING CAPACITY	Four
POSITION OF DRIVER	Right or left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches, anti-skid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.6
BORE AND STROKE	4 x 5½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Single unit
STARTER OPERATED	Fly wheel generator
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

J. I. CASE T. M.
COMPANY

RACINE
WISCONSIN

Price	**$1875**
Four-Passenger Roadster	**1875**
Seven-Passenger Sedan	**2375**



CASE TOURING FAMILY MODEL—U

COLOR	Body, blue; wheels, ivory
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches,
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5¼ inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension distributor and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and split nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

J. I. CASE T. M. COMPANY

RACINE WISCONSIN

Price	**$2375**
Seven-Passenger Touring	**1875**
Four-Passenger Roadster	**1875**



CASE ALL-SEASONS SEDAN—U

COLOR	Dark blue
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5¼ inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension distributor and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

J. I. CASE T. M.
COMPANY

RACINE
WISCONSIN

Price	$1875
Seven-Passenger Touring	1875
Seven-Passenger Sedan	2375



CASE SPORT—U


Color	Periscope green
Seating Capacity	Four
Position of Driver	Left side
Wheelbase	125 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 4½ inches
Rear Tires	35 x 4½ inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	29.4
Bore and Stroke	3 1/16 x 5¼ inches
Lubrication	Force feed and splash
Radiator	Tubular
Cooling	Water pump
Ignition	High tension distributor and storage battery
Starting System	Single unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Three-quarters floating
Steering Gear	Screw and split nut

In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

OLDS MOTOR WORKS
LANSING MICHIGAN

Price	**$1467**
Sportster	**1550**
Roadster	**1467**
Club Roadster.	**1467**



OLDSMOBILE TOURING—45-A


COLOR	Body, royal green; running gear, black; wheels, natural wood
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	120 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	26.45
BORE AND STROKE	2⅞ x 4¾ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut

In addition to above specifications, price includes top, top hood, windshield, clock, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

OLDS MOTOR
WORKS
LANSING
MICHIGAN

Price	$1185
Roadster	1185
Sedan	1695
Coupe	1595



OLDSMOBILE TOURING—37

COLOR	Body, blue; running gear, black; wheels natural wood
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19
BORE AND STROKE	2⅛ x 4¾ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

NORDYKE & MARMON COMPANY

INDIANAPOLIS INDIANA

Price	**$3550**
Five-Passenger Touring	**3500**
Landaulet	**5350**
Town Car	**5250**
Sedan	**5150**



MARMON TOURING—34

COLOR	Blue, gray or maroon
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	136 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	32 x 4½ inches
REAR TIRES	32 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	33.75
BORE AND STROKE	3¾ x 5⅛ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and worm wheel


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and extra wire wheel.

Digitized by Google

NORDYKE & MARMON COMPANY

INDIANAPOLIS INDIANA

Price, $3550



MARMON ROADSTER—34

COLOR	Blue, gray or maroon
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	136 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	33.75
BORE AND STROKE	3¾ x 5⅛ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and worm wheel


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and extra wire wheel.

Digitized by Google

THE
BARTHOLOMEW
COMPANY

PEORIA, ILLINOIS

Price $1495
Four-Passenger Roadster . . . 1495



GLIDE LIGHT TOURING—SIX-40

COLOR	Body, meteor blue or maroon; running gear, black with ivory wheels
SEATING CAPACITY. .	Five
POSITION OF DRIVER .	Left side
WHEELBASE	119 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST.	En bloc
HORSEPOWER (N.A.C.C. Rating)	23.44
BORE AND STROKE .	3⅛ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Gear to fly wheel
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Single
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE.	Three-quarters floating
STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

S A X O N
MOTOR CAR
CORPORATION

D E T R O I T
M I C H I G A N

Price	**$ 935**
Sedan	**1395**
Chummy Roadster	**935**



SAXON SIX TOURING

COLOR	Body, Richelieu blue; wheels, cream; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.84
BORE AND STROKE	2⅞ x 4½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Gravity
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

LEXINGTON-
HOWARD
COMPANY

CONNERSVILLE
INDIANA

Price	$1385
Four-Passenger Convertible Coupe	1545



LEXINGTON CLUBSTER—O

COLOR	Blue-black or green; wheels, white
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	116 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

LEXINGTON-
HOWARD
COMPANY

CONNERSVILLE
INDIANA

Price	$1585
Seven-Passenger Touring	1585
Seven-Passenger Convertible Sedan	1785



LEXINGTON SPOR-TOUR—R

Color	Maroon or blue; wheels, white
Seating Capacity	Four
Position of Driver	Left side
Wheelbase	122 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on propeller shaft
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	25.35
Bore and Stroke	3¼ x 4½ inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Single unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

JAMES CUNNINGHAM SON & COMPANY

ROCHESTER NEW YORK

Price	**$4250**
Seven-Passenger Touring	**4250**
Four-Passenger Roadster	**4250**
Landaulet	**5750**
Limousine	**5500**



CUNNINGHAM TOURING—"V"

COLOR	Optional
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	132 inches
GAUGE	56 inches
WHEELS	Wire or wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	45
BORE AND STROKE	3¾ x 5 inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to transmission
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

WESTCOTT
MOTOR CAR
COMPANY

SPRINGFIELD
OHIO

Price	$1940
Five-Passenger Touring	1940
Four-Passenger Cloverleaf Roadster	1890
Sportster	2290
Seven or Five-Passenger Convertible Sedan	2790
Four-Passenger Coupe	2790



WESTCOTT TOURING—SERIES 18

Color	Body, gray, blue or green; running gear, black
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	125 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 4½ inches
Rear Tires	35 x 4½ inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	29.4
Bore and Stroke	3½ x 5¼ inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Semi-floating
Steering Gear	Worm and wheel


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

STUTZ MOTOR CAR COMPANY

INDIANAPOLIS INDIANA

Price	**$2750**
Four-Passenger Bulldog Special	**2650**
Two-Passenger Roadster	**2550**
Bearcat	**2550**



STUTZ BULLDOG SPECIAL—SERIES S

COLOR	Elephant gray, maroon or blue
SEATING CAPACITY	Seven
POSITION OF DRIVER	Right side
WHEELBASE	130 inches
GAUGE	56½ inches
WHEELS	Wire
FRONT TIRES	32 x 4½ inches
REAR TIRES	32 x 4½ inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	30.63
BORE AND STROKE	4⅛ x 6 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Double distributor
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Seven to eight
WIRING SYSTEM	Double
GASOLINE SYSTEM	Pressure feed
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, electric horn and extra wire wheel.

Digitized by Google

STUTZ MOTOR CAR COMPANY

INDIANAPOLIS
INDIANA

Price	**$2550**
Four-Passenger Bulldog Special	**2650**
Six-Passenger Bulldog Special	**2750**
Bearcat	**2550**



STUTZ ROADSTER—SERIES S

Color	Elephant gray, Mercedes red, or blue
Seating Capacity	Two
Position of Driver	Right side
Wheelbase	130 inches
Gauge	56½ inches
Wheels	Wire
Front Tires	32 x 4½ inches
Rear Tires	32 x 4½ inches
Service Brake	Expanding on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	30.63
Bore and Stroke	4⅜ x 6 inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Double distributor
Starting System	Single unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Seven to eight
Wiring System	Double
Gasoline System	Pressure feed
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Plain bevel
Rear Axle	Three-quarters floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, electric horn and extra wire wheel.

Digitized by Google

PAIGE-DETROIT MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$1775**
Sedan	**2850**
Town Car	**3230**
Limousine	**3230**
Coupe	**2850**



PAIGE ESSEX TOURING—6-55

Color	Paige royal blue
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	127 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 4½ inches
Rear Tires	35 x 4½ inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	29.4
Bore and Stroke	3½ x 5¼ inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six to eight
Wiring System	Single
Gasoline System	Vacuum
Clutch	Plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Three-quarters floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

PAIGE-DETROIT MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$1330**
Two- or Three-Passenger Dartmoor Roadster	**1330**
Glendale Cloverleaf	**1330**



PAIGE LINWOOD TOURING—6-39

COLOR	Brewster green	LUBRICATION	Force feed and splash
SEATING CAPACITY	Five	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	117 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	32 x 4 inches	LIGHTING SYSTEM	Electric
REAR TIRES	32 x 4 inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Gravity
CYLINDERS	Six	CLUTCH	Multiple disc in oil
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	23.44	DRIVE	Spiral bevel
BORE AND STROKE	3 1/16 x 5 inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

NATIONAL MOTOR CAR AND VEHICLE CORPORATION

INDIANAPOLIS INDIANA

Price	$2595
Seven-Passenger Touring	2595
Four-Passenger Sport Phaeton	2595
Seven-Passenger Touring Sedan	3420
Two-Passenger Speedster	2850



NATIONAL HIGHWAY TWELVE ROADSTER

Color	Highway blue or highway gray
Seating Capacity	Four
Position of Driver	Left side
Wheelbase	128 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4½ inches
Rear Tires	34 x 4½ inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Twelve
Arranged	V type, 60 degrees
Cast	In sixes
Horsepower (N.A.C.C. Rating)	39.68
Bore and Stroke	2⅞ x 4¼ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

NATIONAL MOTOR CAR AND VEHICLE CORPORATION

INDIANAPOLIS
INDIANA

Price	**$1995**
Four-Passenger Roadster	**1995**
Four-Passenger Sport Phaeton	**1995**
Seven-Passenger Touring Sedan	**2820**



NATIONAL HIGHWAY SIX TOURING

Color	Highway blue or highway gray
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	128 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4½ inches
Rear Tires	34 x 4½ inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	29.4
Bore and Stroke	3½ x 5¼ inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

LEWIS SPRING & AXLE COMPANY

C H E L S E A
M I C H I G A N

Price, $1285



HOLLIER TOURING—206

COLOR	Blue and gray
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	116 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Chain to crank shaft
LIGHTING SYSTEM	Electric
VOLTAGES	Six to twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

LEWIS SPRING & AXLE COMPANY

CHELSEA MICHIGAN

Price, $1285



HOLLIER TOURING—188

Color	Dark blue or French gray
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	116 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches, anti-skid
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Eight
Arranged	V type, 90 degrees
Cast	In fours
Horsepower (N.A.C.C. Rating)	28.8
Bore and Stroke	3 x 4¼ inches
Lubrication	Full force feed
Radiator	Cellular
Cooling	Thermo-syphon
Ignition	Storage battery
Starting System	Single unit
Starter Operated	Chain to crank shaft
Lighting System	Electric
Voltages	Six or twelve
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, electric horn and demountable rims.

Digitized by Google

PACKARD
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price	$4100
Seven-Passenger Salon Touring	4100
Seven-Passenger Limousine	5650
Seven-Passenger Landaulet	5700
Seven-Passenger Brougham	5800
Seven-Passenger Imperial Limousine	5850
Chassis	3600



PACKARD TOURING—3-35

Color	Body and door panels, Packard blue striped with cream yellow; moulding, black; wheels, cream yellow striped with black
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	136 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Twelve
Arranged	V type, 60 degrees
Cast	In sixes
Horsepower (N.A.C.C. Rating)	43.2
Bore and Stroke	3 x 5 inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery and generator
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six to eight
Wiring System	Single
Gasoline System	Pressure
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Worm bevel
Rear Axle	Semi-floating
Steering Gear	Worm and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

PACKARD
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price	$5250
Seven-Passenger Standard Touring	3700
Seven-Passenger Salon Touring	3700
Five-Passenger Phaeton	3700
Five-Passenger Salon Phaeton	3700
Four-Passenger Runabout	3700
Seven-Passenger Landaulet	5300
Four-Passenger Coupe	5050
Six-Passenger Brougham	5300
Seven-Passenger Brougham	5400
Seven-Passenger Imperial Limousine	5450
Chassis	3300



PACKARD LIMOUSINE—3-25

Color	Body, door panels and wheels, Packard blue striped with black; upper and under body, black
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	128 inches
Gauge	56 inches
Wheels	Wood
Front Tires	35 x 5 inches
Rear Tires	35 x 5 inches
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Twelve
Arranged	V type, 60 degrees
Cast	In sixes
Horsepower (N.A.C.C. Rating)	43.2
Bore and Stroke	3 x 5 inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery and generator
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six to eight
Wiring System	Single
Gasoline System	Pressure
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward one reverse
Drive	Worm bevel
Rear Axle	Semi-floating
Steering Gear	Worm and nut


In addition to above specifications, price includes speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

MOLINE AUTOMOBILE COMPANY

EAST MOLINE ILLINOIS

Price	**$1650**
Five-Passenger Touring	**1650**
Four-Passenger Roadster	**1650**
Touring Sedan	**2280**



MOLINE-KNIGHT TOURING—C

COLOR	Body, dark cobalt blue; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	118 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5 inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

BUICK MOTOR COMPANY

FLINT MICHIGAN

Price	**$795**
Two-Passenger Roadster	**795**
Five-Passenger Sedan	**1185**



BUICK TOURING—E-4-35

Color	Black
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	106 inches
Gauge	56 inches
Wheels	Wood
Front Tires	31 x 4 inches, anti-skid
Rear Tires	31 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	18.23
Bore and Stroke	3⅜ x 4¾ inches
Lubrication	Splash with circulating pump
Radiator	Cellular
Cooling	Water pump
Ignition	High tension generator and storage battery
Starting System	Single unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Plain bevel
Rear Axle	Three-quarters floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

BUICK MOTOR COMPANY

FLINT MICHIGAN

Price **$1495**
Seven-Passenger Touring Sedan **2175**



BUICK TOURING—E-6-49

COLOR	Blue
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	124 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.34
BORE AND STROKE	3⅜ x 4½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension generator and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, electric horn and demountable rims.

Digitized by Google

BUICK MOTOR COMPANY

FLINT MICHIGAN

Price	**$1265**
Three-Passenger Roadster	**1265**
Four-Passenger Coupe	**1695**
Five-Passenger Sedan	**1845**



BUICK TOURING—E-6-45

COLOR	Green
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	118 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.34
BORE AND STROKE	3⅜ x 4½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension generator and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

ELKHART CARRIAGE AND MOTOR CAR COMPANY

ELKHART INDIANA

Price	**$1095**
Five-Passenger Touring	**1095**
Five-Passenger Sedan	**1625**



ELCAR TOURING—E-FOUR

COLOR	Body green; olive running gear, black
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	116 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

ELKHART CARRIAGE AND MOTOR CAR COMPANY

ELKHART INDIANA

Price	**$1295**
Four-Passenger Touring Roadster	**1295**
Five-Passenger Sedan	**1795**



ELCAR TOURING—D-SIX

COLOR	Body, olive green; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	116 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 4 inches
REAR TIRES	33 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

BRISCOE MOTOR CORPORATION

JACKSON MICHIGAN

Price	**$725**
Two-Passenger Runabout	**725**
Delivery	**725**



BRISCOE TOURING—B4-24

COLOR	Body, green; wheels, cream; chassis and fenders, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	104 inches
GAUGE	55¼ inches
WHEELS	Wood
FRONT TIRES	30 x 3½ inches
REAR TIRES	30 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	16.3
BORE AND STROKE	3 3/16 x 5⅛ inches
LUBRICATION	Pump over and splash
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Live
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

STUDEBAKER CORPORATION

SOUTH BEND INDIANA

Price	**$1295**
Two-Passenger Roadster	**1295**



STUDEBAKER LIGHT SIX TOURING

COLOR	Blue or maroon
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	119 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Chain to crank shaft
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rim.

Digitized by Google

STUDEBAKER CORPORATION

SOUTH BEND INDIANA

Price $895
Roadster 895



STUDEBAKER LIGHT FOUR TOURING

COLOR	Dark blue
SEATING CAPACITY. .	Five
POSITION OF DRIVER .	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE .	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Chain to crank shaft
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Single
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Cone
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, battery indicator, electric horn and demountable rim.

Digitized by Google

STUDEBAKER CORPORATION

SOUTH BEND INDIANA

Price, $1695



STUDEBAKER BIG SIX TOURING

COLOR	Chrome green or maroon
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	126 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 4½ inches
REAR TIRES	33 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	36.04
BORE AND STROKE	3⅞ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Chain to crank shaft
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, electric horn and demountable rims.

Digitized by Google

McFARLAN
MOTOR
COMPANY

CONNERSVILLE
INDIANA

Price	**$3500**
Two-Passenger Roadster	**3500**
Four-Passenger Roadster	**3500**
Four-Passenger Destroyer	**3750**
Five-Passenger Sport	**3700**
Six-Passenger Touring	**3500**



McFARLAN SIX TOURING—TYPE 127

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	136 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	48.6
BORE AND STROKE	4½ x 6 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and sector


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

McFARLAN
MOTOR
COMPANY

CONNERSVILLE
INDIANA

Price	**$4650**
Town Car	**4600**
Knickerbocker Cabriolet	**5250**
Philadelphia Berline	**4900**
V Front Sedan	**4600**
Continental Landaulet	**4900**



McFARLAN SIX LIMOUSINE—TYPE 138

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	136 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	48.6
BORE AND STROKE	4½ x 6 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and sector


In addition to above specifications, price includes speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

MERCER AUTOMOBILE COMPANY

TRENTON NEW JERSEY

Price, $3850



MERCER SPORTING

COLOR	Blue, green, maroon, brown or gray	BORE AND STROKE	3¾ x 6¾ inches
SEATING CAPACITY	Four	LUBRICATION	Full force feed
POSITION OF DRIVER	Left side	RADIATOR	Cellular
WHEELBASE	132 inches	COOLING	Water pump
GAUGE	56 inches	IGNITION	High tension magneto
WHEELS	Wire	STARTING SYSTEM	Two unit
FRONT TIRES	32 x 4½ inches	STARTER OPERATED	Gear to fly wheel
REAR TIRES	32 x 4½ inches	LIGHTING SYSTEM	Electric
SERVICE BRAKE	Expanding on transmission	VOLTAGES	Twelve
EMERGENCY BRAKE	Expanding on rear wheels	WIRING SYSTEM	Single
CYLINDERS	Four	GASOLINE SYSTEM	Vacuum
ARRANGED	Vertically	CLUTCH	Dry multiple disc
CAST	En bloc	TRANSMISSION	Selective sliding
HORSEPOWER (N.A.C.C. Rating)	22.5	GEAR CHANGES	Four forward, one reverse
		DRIVE	Spiral bevel
		REAR AXLE	Full floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, electric horn and extra wire wheel.

Digitized by Google

MERCER AUTOMOBILE COMPANY

TRENTON NEW JERSEY

Price, $3750



MERCER RUNABOUT

COLOR	Blue, green, maroon, brown or gray
SEATING CAPACITY	Two
POSITION OF DRIVER	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches
SERVICE BRAKE	Expanding on transmission
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¼ x 6¾ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, electric horn and demountable rims.

Digitized by Google

MERCER AUTOMOBILE COMPANY

TRENTON NEW JERSEY

Price, $3600



MERCER RACEABOUT

COLOR	Yellow, gray or gunmetal
SEATING CAPACITY	Two
POSITION OF DRIVER	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches
SERVICE BRAKE	Expanding on transmission
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 6¾ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
Voltages	Twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes windshield, speedometer, ammeter, voltmeter, clock, electric horn and wire wheels.

Digitized by Google

W. A. PATERSON COMPANY

F L I N T
M I C H I G A N

Price	**$1265**
Seven-Passenger Touring	**1295**
Four-Passenger Roadster	**1295**
Five-Passenger Sedan	**1795**



PATERSON TOURING—6-45

COLOR	Dark blue
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	117 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google
828942

OAKLAND MOTOR CAR COMPANY

PONTIAC MICHIGAN

Price	**$ 990**
Roadster	**990**
Roadster-Coupe	**1150**
Sedan	**1190**
Sedan, Unit Body	**1490**
Coupe, Unit Body	**1490**



OAKLAND SENSIBLE SIX TOURING—34-B

COLOR	Body, coach green; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc with crank case
HORSEPOWER (N.A.C.C. Rating)	19
BORE AND STROKE	2 13/16 x 4 3/4 inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

OAKLAND MOTOR CAR COMPANY

PONTIAC MICHIGAN

Price	**$1190**
Touring	**990**
Roadster	**990**
Roadster-Coupe	**1150**
Sedan, Unit Body	**1490**
Coupe, Unit Body	**1490**



OAKLAND SENSIBLE SIX TOURING SEDAN—34-B

COLOR	Body, coach green; running gear, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches,
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc with crank case
HORSEPOWER (N.A.C.C. Rating)	19
BORE AND STROKE	2⅛ x 4¾ inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

MAXWELL
MOTOR
COMPANY

DETROIT
MICHIGAN

Price	**$ 745**
With All-Weather Top	**855**
Roadster	**745**
Sedan	**1195**
Berline	**1095**



MAXWELL TOURING—25

COLOR	Black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	108 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	30 x 3½ inches
REAR TIRES	30 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	21.03
BORE AND STROKE	3⅝ x 4½ inches
LUBRICATION	Pump over and splash
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Distributor and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Cone in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, tire pump, electric horn and demountable wheels.

Digitized by Google

STANDARD STEEL CAR COMPANY

PITTSBURGH PENNSYLVANIA

Price	**$2450**
Seven-Passenger Limousine	**4000**
Seven-Passenger Sedan	**3500**
Four-Passenger Roadster	**2450**
Two-Passenger Roadster	**2450**
Three-Passenger Coupe	**3500**



STANDARD EIGHT TOURING—G

COLOR	Blue, green or beige
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	33.8
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

DORRIS MOTOR CAR COMPANY

ST. LOUIS MISSOURI

Coupe	}	Prices Upon Application
Sedan		
Limousine		



DORRIS TOURING—1-C-6

Color	Optional
Seating Capacity	Four
Position of Driver	Left side
Wheelbase	130 inches
Gauge	56 inches
Wheels	Wood
Front Tires	36 x 4½ inches
Rear Tires	36 x 4½ inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	In threes
Horsepower (N.A.C.C. Rating)	38.4
Bore and Stroke	4 x 5 inches
Lubrication	Full force feed
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Three-quarters floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

DORRIS MOTOR CAR COMPANY

ST. LOUIS MISSOURI

Touring	Prices Upon Application
Coupe	
Sedan	
Limousine	



DORRIS TOURING—1-C-6

COLOR	Optional	LUBRICATION	Full force feed
SEATING CAPACITY. .	Seven	RADIATOR	Tubular
POSITION OF DRIVER .	Left side	COOLING	Water pump
WHEELBASE	130 inches	IGNITION	High tension magneto
GAUGE	56 inches	STARTING SYSTEM . .	Two unit
WHEELS	Wood	STARTER OPERATED .	Gear to fly wheel
FRONT TIRES	36 x 4½ inches	LIGHTING SYSTEM . .	Electric
REAR TIRES	36 x 4½ inches, anti-skid	VOLTAGES	Six
SERVICE BRAKE . . .	Contracting on rear wheels	WIRING SYSTEM . . .	Single
EMERGENCY BRAKE .	Expanding on rear wheels	GASOLINE SYSTEM . .	Vacuum
CYLINDERS	Six	CLUTCH	Dry multiple disc
ARRANGED	Vertically	TRANSMISSION . . .	Selective sliding
CAST.	In threes	GEAR CHANGES . . .	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	38.4	DRIVE	Spiral bevel
BORE AND STROKE .	4 x 5 inches	REAR AXLE	Three-quarters floating
		STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

VELIE MOTORS CORPORATION

M O L I N E
I L L I N O I S

Price $1850
Seven-Passenger Touring . 1595



VELIE SPORT CAR—39

COLOR	Blue or maroon
SEATING CAPACITY. .	Four
POSITION OF DRIVER .	Left side
WHEELBASE	124 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 4½ inches
REAR TIRES	33 x 4½ inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST.	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE .	3½ x 5¼ inches
LUBRICATION	Pump over and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Gear to fly wheel
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Single
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, windshield, speedometer, ammeter, voltmeter, electric horn and demountable rims.

Digitized by Google

VELIE MOTORS CORPORATION

MOLINE ILLINOIS

Price	**$1340**
Four-Passenger Roadster	**1340**
Two-Passenger Roadster	**1340**
Sedan	**1885**
Coupe	**1900**
Cabriolet	**1800**
Town Car	**2450**



VELIE TOURING—38

COLOR	Blue or maroon
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Pump over and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, electric horn and demountable rims.

Digitized by Google

CHANDLER MOTOR CAR COMPANY

CLEVELAND, OHIO

Price	**$1595**
Touring	**1595**
Sport	**1675**
Coupe	**2195**
Sedan	**2295**
Limousine	**2895**



CHANDLER ROADSTER

COLOR	Chandler blue and black
SEATING CAPACITY	Two
POSITION OF DRIVER	Right or left side
WHEELBASE	123 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In threes
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Pump over and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, electric horn and demountable rims.

Digitized by Google

CHANDLER MOTOR CAR COMPANY

CLEVELAND, OHIO

Price	**$1595**
Roadster	**1595**
Sport	**1675**
Coupe	**2195**
Sedan	**2295**
Limousine	**2895**



CHANDLER TOURING

COLOR	Chandler blue and black	LUBRICATION	Pump over and splash
SEATING CAPACITY	Seven	RADIATOR	Cellular
POSITION OF DRIVER	Optional	COOLING	Water pump
WHEELBASE	123 inches	IGNITION	High tension magneto
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	34 x 4 inches	LIGHTING SYSTEM	Electric
REAR TIRES	34 x 4 inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Six	CLUTCH	Dry plate
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	In threes	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	29.4	DRIVE	Spiral bevel
BORE AND STROKE	3½ x 5 inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, electric horn and demountable rims.

Digitized by Google

JACKSON AUTOMOBILE COMPANY

JACKSON MICHIGAN

Price	**$1575**
Five-Passenger Touring	**1495**
Four-Passenger Cruiser	**1495**
Two-Passenger Roadster	**1495**
Seven-Passenger Touring	**1570**
Seven-Passenger Sedan	**2195**



WOLVERINE VIII FLYER

COLOR	Body, azure blue; running gear, black
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	118 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	En bloc with crank case
HORSEPOWER (N.A.C.C. Rating)	28.8
BORE AND STROKE	3 x 3½ inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

GEORGE W. DAVIS MOTOR CAR COMPANY

RICHMOND INDIANA

Price	**$1485**
Five-Passenger Club Roadster	**1485**
Seven-Passenger Sedan	**1850**
Four-Passenger	**1485**



DAVIS TOURING—SIX H-'18

COLOR	Body and hood, cobalt blue; fenders black; wheels white
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	119 inches
GUAGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches,
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

AUBURN AUTOMOBILE COMPANY

AUBURN INDIANA

Price	**$1985**
Touring	**1685**
Chummy Roadster	**1685**
Seven-Passenger Sedan	**2450**



AUBURN TOURING WITH WINTER TOP—6-44

COLOR	Royal blue, purple lake or gray
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	131 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

AUBURN AUTOMOBILE COMPANY

AUBURN INDIANA

Price	$1345
Chummy Roadster	1345
Sport Roadster	1395
Touring Car with Detachable Winter Top	1595



AUBURN TOURING—6-39-B

Color	Royal blue
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	120 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	25.35
Bore and Stroke	3¼ x 4½ inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six to eight
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Three-quarters floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

PEERLESS MOTOR CAR COMPANY

CLEVELAND, OHIO

Price	**$2340**
Four-Passenger Roadster	**2340**
Two-Passenger Sporting Roadster	**2490**
Six-Passenger Sedan	**2990**
Four-Passenger Coupe	**2850**
Seven-Passenger Limousine	**3690**



PEERLESS TOURING—56

COLOR	Peerless green
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	33.8
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery and dry cells
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to seven
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

PEERLESS MOTOR CAR COMPANY

CLEVELAND, OHIO

Price	**$2990**
Four-Passenger Roadster	**2340**
Two-Passenger Sporting Roadster	**2490**
Four-Passenger Coupe	**2850**
Seven-Passenger Limousine	**3690**
Seven-Passenger Touring	**2340**



PEERLESS SEDAN—56

COLOR	Peerless green
SEATING CAPACITY	Six
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	33.8
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery and dry cells
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to seven
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

MONROE MOTOR COMPANY

PONTIAC MICHIGAN

Price	**$995**
Roadster	**995**
Sedan	**1850**



MONROE TOURING—M-6

COLOR	Body, Monroe blue; chassis, black; wheels, white
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 3½ inches
REAR TIRES	32 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	16.9
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Split nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

SIMPLEX AUTOMOBILE COMPANY

755 FIFTH AVENUE
NEW YORK CITY

Price, Chassis, $7000



SIMPLEX-CRANE LIMOUSINE

COLOR	Optional
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	143½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	36 x 4½ or 35 x 5 inches
REAR TIRES	37 x 5 or 35 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on drive shaft
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	In threes
HORSEPOWER	45.94 N.A.C.C. Rating)
BORE AND STROKE	4⅜ x 6¼ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Double
GASOLINE SYSTEM	Pressure
CLUTCH	Single plate in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and sector


In addition to above specifications, price includes speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

CHEVROLET
MOTOR
COMPANY

BROADWAY
AT 57th STREET
NEW YORK CITY

Price	$935
Roadster	935
Sedan	1475



CHEVROLET TOURING—F-A-5

COLOR	Body, dark green; running gear, black	LUBRICATION	Splash with circulating pump
SEATING CAPACITY	Five	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	108 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	33 x 4 inches	LIGHTING SYSTEM	Electric
REAR TIRES	33 x 4 inches	VOLTAGES	Six
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Double
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Four	CLUTCH	Cone
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	21.75	DRIVE	Spiral bevel
BORE AND STROKE	3 1/8 x 5 1/4 inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

CHEVROLET MOTOR COMPANY

BROADWAY AT 57th STREET NEW YORK CITY

Price	**$635**
Roadster	**620**
Coupe	**1060**
Sedan	**1060**



CHEVROLET TOURING—490

COLOR	Black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	102 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	30 x 3½ inches, anti-skid
REAR TIRES	30 x 3½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	21.75
BORE AND STROKE	3 1/16 x 4 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Spur


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

CHEVROLET MOTOR COMPANY

BROADWAY AT 57th STREET NEW YORK CITY

Price $1385
Four-Passenger Roadster 1385



CHEVROLET TOURING—D-5

COLOR	Green	LUBRICATION	Splash with circulating pump
SEATING CAPACITY	Five	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	120 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	34 x 4 inches	LIGHTING SYSTEM	Electric
REAR TIRES	34 x 4 inches	VOLTAGES	Six
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Double
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Eight	CLUTCH	Cone
ARRANGED	V type, 90 degrees	TRANSMISSION	Selective sliding
CAST	In fours	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	36.45	DRIVE	Spiral bevel
BORE AND STROKE	3 3/8 x 4 inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

AUSTIN AUTOMOBILE COMPANY

GRAND RAPIDS MICHIGAN

Price	**$5250**
Touring	**3750**
Roadster	**3750**
Sedan	**4950**



AUSTIN HIGHWAY KING TWELVE LIMOUSINE

COLOR	Body, Brewster green; running gear, black
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	142 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Twelve
ARRANGED	V type, 90 degrees
CAST	In threes
HORSEPOWER (N.A.C.C. Rating)	39.68
BORE AND STROKE	2⅞ x 5 inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Six forward, two reverse
DRIVE	Spiral bevel
REAR AXLE	Two-speed three-quarters floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

H. H. FRANKLIN MANUFACTURING COMPANY

SYRACUSE NEW YORK

Price	**$2050**
Roadster	**2000**
Four-Passenger Roadster	**2050**
Sedan	**2950**
Brougham	**2900**
Limousine	**3200**
Town Car	**3200**
Cabriolet	**2850**



FRANKLIN TOURING—SERIES 9

COLOR	Brewster green
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	115 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on transmission drum
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Six
ARRANGED	Horizontally
CAST	Separately
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4 inches
LUBRICATION	Force feed
COOLING	Air
IGNITION	Distributor and storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Chain to crank shaft
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, circuit indicator, clock, tire pump and electric horn.

Digitized by Google

ELGIN
MOTOR CAR
COMPANY

CHICAGO
ILLINOIS

Price	$1095
Four-Passenger Roadster	1095
Sedan	1645



ELGIN SIX TOURING—SERIES F

Color	Body, maroon or dark royal blue; hood, radiator, fenders and running gear, black
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	117 inches
Gauge	54 inches
Wheels	Wood
Front Tires	33 x 4 inches
Rear Tires	33 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	21.6
Bore and Stroke	3 x 4¼ inches
Lubrication	Splash with circulating pump
Radiator	Cellular
Cooling	Thermo-syphon
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

F. B. STEARNS COMPANY

CLEVELAND, OHIO

Price	**$2575**
Cloverleaf Roadster	**2575**
Coupe	**3200**
Coupe Landaulet	**3200**
Limousine	**3875**
Limousine Brougham	**3875**
Landaulet	**3985**
Landaulet Brougham	**3985**
Chassis	**2050**



STEARNS TOURING—SK-8

COLOR	Body, Roman green; wheels, cream; fenders and hood, black
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on transmission shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	33.8
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

F. B. STEARNS COMPANY

CLEVELAND, OHIO

Price	**$1785**
Cloverleaf Roadster	**1785**
Coupe	**2400**
Limousine	**3350**
Limousine Brougham	**3400**
Landaulet	**3300**
Landaulet Brougham	**3350**
Convertible Sedan	**2535**
Seven-Passenger Touring	**2175**
Chassis	**1625**



STEARNS TOURING—SKL-4

COLOR	Body, Roman green; wheels, cream; hood and fenders, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	119 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on transmission shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5⅝ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Twelve
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, electric horn and demountable rims.

Digitized by Google

BARLEY MOTOR CAR COMPANY

KALAMAZOO MICHIGAN

Price, $2950



ROAMER TOURING—D-4-75

COLOR	Optional
SEATING CAPACITY	Four or seven
POSITION OF DRIVER	Left side
WHEELBASE	128 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	32 x 4½ inches
REAR TIRES	32 x 4½ inches
SERVICE BRAKE	Expanding under wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.6
BORE AND STROKE	4 x 6 inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and extra wire wheel.

Digitized by Google

COLE MOTOR CAR COMPANY

INDIANAPOLIS INDIANA

Price	**$2395**
Touring	**2395**
Sportster	**2395**



COLE EIGHT ROADSTER—871

COLOR	Dust-proof gray
SEATING CAPACITY	Two
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 5 inches
REAR TIRES	33 x 5 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER	39.2 (N.A.C.C. Rating)
BORE AND STROKE	3½ x 4½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

COLE MOTOR CAR COMPANY

INDIANAPOLIS INDIANA

Price	**$2395**
Touring	**2395**
Roadster	**2395**



COLE EIGHT SPORTSTER—872

COLOR	Dust-proof gray
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 5 inches
REAR TIRES	33 x 5 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	39.2
BORE AND STROKE	3½ x 4½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

COLE MOTOR CAR COMPANY

INDIANAPOLIS INDIANA

Price	**$2395**
Sportster	**2395**
Roadster	**2395**



COLE EIGHT TOURING—870

COLOR	Body, Cole deep blue; running gear, black
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 5 inches
REAR TIRES	33 x 5 inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Eight
ARRANGED	V type, 90 degrees
CAST	In fours
HORSEPOWER (N.A.C.C. Rating)	39.2
BORE AND STROKE	3½ x 4½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

HAYNES AUTOMOBILE COMPANY

KOKOMO INDIANA

Price	**$1825**
Five-Passenger Touring	**1725**
Seven-Passenger Touring	**1825**
Seven-Passenger Sedan	**2585**
Four-Passenger Coupe	**2535**
Five-Passenger Town Car	**3250**



HAYNES "LIGHT SIX" FOURDORE ROADSTER—39

COLOR	Deep carmine, beige brown or royal green	RADIATOR	Cellular
SEATING CAPACITY	Four	COOLING	Water pump
POSITION OF DRIVER	Left side	IGNITION	Storage battery and distributor
WHEELBASE	127 inches	STARTING SYSTEM	Two unit
GAUGE	56 inches	STARTER OPERATED	Gear to fly wheel
WHEELS	Wood	LIGHTING SYSTEM	Electric
FRONT TIRES	32 x 4½ inches	VOLTAGES	Six
REAR TIRES	32 x 4½ inches	WIRING SYSTEM	Double
SERVICE BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
EMERGENCY BRAKE	Expanding on rear wheels	CLUTCH	Dry multiple disc
CYLINDERS	Six	TRANSMISSION	Selective sliding
ARRANGED	Vertically	GEAR CHANGES	Three forward, one reverse
CAST	En bloc	DRIVE	Spiral bevel
HORSEPOWER (N.A.C.C. Rating)	29.4	REAR AXLE	Three-quarters floating
BORE AND STROKE	3½ x 5 inches	STEERING GEAR	Screw and nut
LUBRICATION	Splash with circulating pump		


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

HAYNES AUTOMOBILE COMPANY

KOKOMO INDIANA

Price	**$1725**
Seven-Passenger Touring	**1825**
Seven-Passenger Sedan	**2585**
Four-Passenger Coupe	**2535**
Five-Passenger Town Car	**3250**
Four-Passenger Fourdore	**1825**



HAYNES "LIGHT SIX" TOURING—38

COLOR	Royal green, deep carmine or beige brown
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	121 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery and distributor
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

HAYNES AUTOMOBILE COMPANY

KOKOMO INDIANA

Price	**$2585**
Five-Passenger Touring	**1725**
Seven-Passenger Touring	**1825**
Four-Passenger Coupe	**2535**
Five-Passenger Town Car	**3250**
Four-Passenger Fourdore	**1825**



HAYNES "LIGHT SIX" SEDAN—39

COLOR	Haynes blue, beige brown, royal green or deep carmine
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery and distributor
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

HAYNES AUTOMOBILE COMPANY

KOKOMO INDIANA

Price	**$3985**
Four-Passenger Fourdore	**2785**
Seven-Passenger Sedan	**3385**
Four-Passenger Coupe	**3335**
Five-Passenger Touring	**2785**



HAYNES "LIGHT TWELVE" TOWN CAR—44

COLOR	Haynes blue, beige brown, deep carmine or royal green
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	34 x 4½ inches
REAR TIRES	34 x 4½ inches
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Twelve
ARRANGED	V type, 60 degrees
CAST	In sixes
HORSEPOWER (N.A.C.C. Rating)	36.3
BORE AND STROKE	2¾ x 5 inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery and distributor
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Double
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

GRANT MOTOR CAR CORPORATION

CLEVELAND, OHIO

Price	$1055
Sedan Touring	1595
Sedan Roadster	1575



GRANT SIX TOURING—G

Color	Olive green
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	114 inches
Gauge	56 inches
Wheels	Wire
Front Tires	32 x 3½ inches
Rear Tires	32 x 3½ inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	21.6
Bore and Stroke	3 x 4¼ inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Thermo-syphon
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six to eight
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Plain bevel
Rear Axle	Full floating
Steering Gear	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

HAL MOTOR CAR COMPANY

CLEVELAND, OHIO

Price	$3600
Four-Passenger Touring Roadster	3750
Three-Passenger Touring Roadster	3600
Seven-Passenger Limousine	5000
Seven-Passenger Town Car	5000
Six-Passenger Sedan	4750



HAL TWELVE TOURING—25

Color	Optional
Seating Capacity	Seven
Position of Driver	Left side
Wheelbase	135 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4½ inches
Rear Tires	34 x 4½ inches, anti-skid
Service Brake	Expanding on rear wheels
Emergency Brake	Contracting on rear wheels
Cylinders	Twelve
Arranged	V type, 60 degrees
Cast	In threes
Horsepower (N.A.C.C. Rating)	39.68
Bore and Stroke	2⅞ x 5 inches
Lubrication	Full force feed
Radiator	Cellular
Cooling	Water pump
Ignition	Storage battery
Starting System	Single unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

INTER-STATE
MOTOR
COMPANY

MUNCIE
INDIANA

Five-Passenger Touring .
Four-Passenger Roadster .
Two-Passenger Roadster .
800-Pound Delivery Wagon
} Prices Upon Application



INTER-STATE TOURING—T

Color	Blue
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	110 inches
Gauge	56 inches
Wheels	Wood
Front Tires	33 x 4 inches
Rear Tires	33 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	19.6
Bore and Stroke	3½ x 5 inches
Lubrication	Splash with circulating pump
Radiator	Cellular
Cooling	Thermo-syphon
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Gravity
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Bevel
Rear Axle	Semi-floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

JORDAN MOTOR CAR COMPANY

CLEVELAND, OHIO

Price	**$2375**
Seven-Passenger Touring	**1995**
Four-Passenger Touring	**1995**
Seven-Passenger Sedan	**2750**
Town Car	**3300**
Brougham	**3000**
Limousine	**3500**



JORDAN SPORT MARINE

COLOR	Body, green or maroon; running gear, black
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	127 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	33 x 4½ inches
REAR TIRES	33 x 4½ inches
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5¼ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

H U P P MOTOR CAR CORPORATION

D E T R O I T M I C H I G A N

Price, $1250



HUPMOBILE ROADSTER—R

COLOR	Body, Hupmobile blue; hood, fenders and running gear, black
SEATING CAPACITY	Two
POSITION OF DRIVER	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	16.9
BORE AND STROKE	3¼ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

H U P P MOTOR CAR CORPORATION

D E T R O I T M I C H I G A N

Price, $1250



HUPMOBILE TOURING—R

COLOR	Body, Hupmobile blue; hood and fenders, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	16.9
BORE AND STROKE	3¼ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

HUDSON MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$1950**
Four-Passenger Phaeton	**2050**
Runabout Landau	**2350**
Four-Door Sedan	**2750**
Touring Limousine	**3150**
Limousine	**3400**
Limousine Landau	**3500**
Town Car	**3400**
Town Car Landau	**3500**
Full Folding Landau	**4250**



HUDSON SUPER-SIX PHAETON

COLOR	Coach-painter's blue; fenders and splash guards, black enamel
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches, anti-skid
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

HUDSON
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price	**$2750**
Seven-Passenger Phaeton	**1950**
Four-Passenger Phaeton	**2050**
Runabout Landau	**2350**
Touring Limousine	**3150**
Limousine	**3400**
Limousine Landau	**3500**
Town Car	**3400**
Town Car Landau	**3500**
Full Folding Landau	**4250**



HUDSON SUPER-SIX FOUR-DOOR SEDAN

COLOR	Coach-painter's blue with black enamel splash guards and fenders
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches, anti-skid
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

HUDSON MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$3150**
Seven-Passenger Phaeton	**1950**
Four-Passenger Phaeton	**2050**
Runabout Landau	**2350**
Four-Door Sedan	**2750**
Limousine	**3400**
Limousine Landau	**3500**
Town Car	**3400**
Town Car Landau	**3500**
Full Folding Landau	**4250**



HUDSON SUPER-SIX TOURING LIMOUSINE

COLOR	Hungarian blue or coach painter's green with black enameled fenders and splash guards
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	125½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 5 inches, anti-skid
REAR TIRES	33 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

HUDSON MOTOR CAR COMPANY

DETROIT MICHIGAN

Price	**$3400**
Seven-Passenger Phaeton	**1950**
Four-Passenger Phaeton	**2050**
Runabout Landau	**2350**
Four-Door Sedan	**2750**
Touring Limousine	**3150**
Limousine Landau	**3500**
Town Car	**3400**
Town Car Landau	**3500**
Full Folding Landau	**4250**



HUDSON SUPER-SIX LIMOUSINE

COLOR	India blue or Brewster green with black enamel fenders and splash guards
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	125½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	33 x 5 inches, anti-skid
REAR TIRES	33 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Single unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes windshield, speedometer, ammeter, clock, tire pump, electric horn and demountable rims.

Digitized by Google

NASH MOTORS COMPANY

KENOSHA WISCONSIN

Price	**$1295**
Four-Passenger Roadster	**1295**
Five-Passenger Sedan	**1985**
Seven-Passenger Touring	**1465**



NASH TOURING—681

COLOR	Nash blue, pencilled with gold
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	121 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches
REAR TIRES	34 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Contracting on transmission
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3¼ x 5 inches
LUBRICATION	Circulating system
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Delco system
STARTING SYSTEM	Special
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

PREMIER MOTOR CORPORATION

INDIANAPOLIS INDIANA

Price	**$2285**
Seven-Passenger Touring	**2285**
Seven-Passenger Limousine	**3285**



PREMIER FOURSOME—6-C

COLOR	Body, maroon or brown; chassis, jet black
SEATING CAPACITY	Four
POSITION OF DRIVER	Left side
WHEELBASE	125½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	4½ inches
REAR TIRES	4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.34
BORE AND STROKE	3⅜ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

PREMIER MOTOR CORPORATION

INDIANAPOLIS INDIANA

Price	**$2285**
Four-Passenger Foursome	**2285**
Seven-Passenger Limousine Sedan	**3285**



PREMIER TOURING—6-C

COLOR	Body, maroon or brown; chassis, jet black	BORE AND STROKE	3⅜ x 5½ inches
SEATING CAPACITY	Seven	LUBRICATION	Force feed and splash
POSITION OF DRIVER	Left side	RADIATOR	Cellular
WHEELBASE	125½ inches	COOLING	Water pump
GAUGE	56 inches	IGNITION	Storage battery
WHEELS	Wood	STARTING SYSTEM	Two unit
FRONT TIRES	4½ inches	STARTER OPERATED	Gear to fly wheel
REAR TIRES	4½ inches, anti-skid	LIGHTING SYSTEM	Electric
SERVICE BRAKE	Contracting on rear wheels	VOLTAGES	Six to eight
EMERGENCY BRAKE	Expanding on rear wheels	WIRING SYSTEM	Single
CYLINDERS	Six	GASOLINE SYSTEM	Vacuum
ARRANGED	Vertically	CLUTCH	Dry plate
CAST	En bloc	TRANSMISSION	Selective sliding
HORSEPOWER (N.A.C.C. Rating)	27.34	GEAR CHANGES	Three forward, one reverse
		DRIVE	Spiral bevel
		REAR AXLE	Semi-floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

PREMIER MOTOR CORPORATION

INDIANAPOLIS INDIANA

Price	**$3285**
Four-Passenger Foursome	**2285**
Seven-Passenger Touring	**2285**



PREMIER LIMOUSINE SEDAN—6-C

COLOR	Body, blue; chassis, jet black
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	4½ inches
REAR TIRES	4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.34
BORE AND STROKE	3⅜ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear

In addition to above specifications, price includes windshield, speedometer, ammeter, electric horn and demountable rims.


Digitized by Google

MOLINE PLOW COMPANY

STEPHENS MOTOR BRANCH

MOLINE ILLINOIS

Price	**$1485**
Five-Passenger Touring	**1485**
Five-Passenger Sedan	**1985**
Four-Passenger	**1550**



STEPHENS SALIENT SIX ROADSTER—70

COLOR	Body, black or green; chassis, black; wheels, ivory
SEATING CAPACITY	Three
POSITION OF DRIVER	Left side
WHEELBASE	118 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	25.35
BORE AND STROKE	3¼ x 4½ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear

In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.


Digitized by Google

MOLINE PLOW COMPANY

STEPHENS MOTOR BRANCH

MOLINE ILLINOIS

Price	$1485
Three-Passenger Roadster	1485
Five-Passenger Sedan	1985
Four-Passenger	1550



STEPHENS SALIENT SIX TOURING—75

Color	Body, black or green; chassis, black; wheels, ivory
Seating Capacity	Five
Position of Driver	Left side
Wheelbase	118 inches
Gauge	56 inches
Wheels	Wood
Front Tires	32 x 4 inches
Rear Tires	32 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Six
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	25.35
Bore and Stroke	3¼ x 4½ inches
Lubrication	Full force feed
Radiator	Cellular
Cooling	Thermo-syphon
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six to eight
Wiring System	Single
Gasoline System	Vacuum
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Spiral bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

HACKETT MOTOR CAR COMPANY

JACKSON MICHIGAN

Five-Passenger Touring	Prices Upon Application
Two-Passenger Roadster	
Three-Passenger Roadster	
Five-Passenger All-Seasons	



HACKETT FOUR TOURING—A. L.

Color	Blue, brown or red	Lubrication	Force feed and splash
Seating Capacity	Five	Radiator	Tubular
Position of Driver	Left side	Cooling	Thermo-syphon
Wheelbase	112 inches	Ignition	Storage battery
Gauge	56 inches	Starting System	Two unit
Wheels	Wood	Starter Operated	Gear to fly wheel
Front Tires	32 x 3½ inches	Lighting System	Electric
Rear Tires	32 x 3½ inches, anti-skid	Voltages	Six to eight
Service Brake	Contracting on rear wheels	Wiring System	Single
Emergency Brake	Expanding on rear wheels	Gasoline System	Vacuum
Cylinders	Four	Clutch	Dry multiple disc
Arranged	Vertically	Transmission	Selective sliding
Cast	En bloc	Gear Changes	Three forward, one reverse
Horsepower (N.A.C.C. Rating)	22.5	Drive	Plain bevel
Bore and Stroke	3¾ x 4¼ inches	Rear Axle	Semi-floating
		Steering Gear	Worm and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

MUTUAL MOTORS COMPANY

JACKSON MICHIGAN

Price, $1575



MARION-HANDLEY 6-60 TOURING—B

COLOR	Olive green
SEATING CAPACITY	Seven
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 4½ inches
REAR TIRES	35 x 4½ inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	29.4
BORE AND STROKE	3½ x 5¼ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and wheel

In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

SCRIPPS-BOOTH CORPORATION

DETROIT MICHIGAN

Price $1195
Five-Passenger Touring 1195



SCRIPPS-BOOTH ROADSTER—SIX-40

COLOR	Body, silk green	BORE AND STROKE .	2⅛ x 4¾ inches
SEATING CAPACITY. .	Three	LUBRICATION	Full force feed
POSITION OF DRIVER .	Left side	RADIATOR	Cellular
WHEELBASE	112 inches	COOLING	Water pump
GAUGE	56 inches	IGNITION	Storage battery
WHEELS	Wood	STARTING SYSTEM . .	Two unit
FRONT TIRES	32 x 4 inches	STARTER OPERATED .	Gear to fly wheel
REAR TIRES	32 x 4 inches, anti-skid	LIGHTING SYSTEM . .	Electric
SERVICE BRAKE . . .	Contracting on rear wheels	VOLTAGES	Six
EMERGENCY BRAKE .	Expanding on rear wheels	WIRING SYSTEM . . .	Single
CYLINDERS	Six	GASOLINE SYSTEM . .	Vacuum
ARRANGED	Horizontally	CLUTCH	Cone
CAST	En bloc	TRANSMISSION . . .	Selective sliding
HORSEPOWER (N.A.C.C. Rating)	19	GEAR CHANGES . . .	Three forward, one reverse
		DRIVE	Plain bevel
		REAR AXLE	Full floating
		STEERING GEAR . . .	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

SCRIPPS-BOOTH CORPORATION

DETROIT MICHIGAN

Price $1195
Three-Passenger Roadster . . . 1195



SCRIPPS-BOOTH TOURING—SIX-39

COLOR	Delft blue
SEATING CAPACITY .	Five
POSITION OF DRIVER .	Left side
WHEELBASE	112 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	32 x 4 inches
REAR TIRES	32 x 4 inches, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Six
ARRANGED	Horizontally
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19
BORE AND STROKE .	2⅛ x 4¾ inches
LUBRICATION	Full force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Gear to fly wheel
LIGHTING SYSTEM . .	Electric
VOLTAGES	Six
WIRING SYSTEM . . .	Single
GASOLINE SYSTEM . .	Vacuum
CLUTCH	Cone
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Full floating
STEERING GEAR . . .	Screw and nut


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, voltmeter, tire pump, electric horn and demountable rims.

Digitized by Google

WILLYS-OVERLAND, INC.

TOLEDO, OHIO

Touring	Prices Upon Application
Roadster	
Country Club	
Sedan	



OVERLAND LIGHT FOUR TOURING—90

COLOR	Body, Brewster green; wheels, black
SEATING CAPACITY	Five
POSITION OF DRIVER	Left side
WHEELBASE	106 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	31 x 4 inches
REAR TIRES	31 x 4 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	18.23
BORE AND STROKE	3⅜ x 5 inches
LUBRICATION	Full splash with circulating pump
RADIATOR	Cellular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six to eight
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Three-quarters floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

WILLYS-OVERLAND, INC.

TOLEDO, OHIO

Touring . . \ Prices Upon
Roadster . . / Application



OVERLAND FOUR TOURING—85

COLOR	Body, Brewster green; wheels, cream	LUBRICATION	Splash with circulating pump
SEATING CAPACITY. .	Five	RADIATOR	Cellular
POSITION OF DRIVER .	Left side	COOLING	Thermo-syphon
WHEELBASE	112 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM . .	Two unit
WHEELS	Wood	STARTER OPERATED .	Gear to fly wheel
FRONT TIRES	32 x 4 inches,	LIGHTING SYSTEM . .	Electric
REAR TIRES	32 x 4 inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE . . .	Contracting on rear wheels	WIRING SYSTEM . . .	Single
EMERGENCY BRAKE .	Expanding on rear wheels	GASOLINE SYSTEM . .	Vacuum
CYLINDERS	Four	CLUTCH	Cone
ARRANGED	Vertically	TRANSMISSION . . .	Selective sliding
CAST	En bloc	GEAR CHANGES . . .	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	27.23	DRIVE	Plain bevel
BORE AND STROKE .	4⅛ x 4½ inches	REAR AXLE	Three-quarters floating
		STEERING GEAR . . .	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

WILLYS-OVERLAND, INC.

TOLEDO, OHIO

Touring	Prices Upon Application
Roadster	
Touring Sedan	
Touring Coupe	



OVERLAND TOURING—85-6

COLOR	Body, Brewster green; wheels, cream	LUBRICATION	Force feed and splash
SEATING CAPACITY	Five	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	116 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	32 x 4 inches	LIGHTING SYSTEM	Electric
REAR TIRES	32 x 4 inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Six	CLUTCH	Cone
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	25.35	DRIVE	Spiral bevel
BORE AND STROKE	3¼ x 4½ inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

WILLYS-OVERLAND, INC.

TOLEDO, OHIO

Touring	Prices Upon Application
Club Six	
Touring Sedan	



WILLYS SIX TOURING—89

COLOR	Body, olive green; wheels, cream	LUBRICATION	Force feed and splash
SEATING CAPACITY	Seven	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	120 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	33 x 4½ inches	LIGHTING SYSTEM	Electric
REAR TIRES	33 x 4½ inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Six	CLUTCH	Cone
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	29.4	DRIVE	Spiral bevel
BORE AND STROKE	3½ x 5¼ inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

WILLYS-OVERLAND, INC.

TOLEDO, OHIO

Touring, Coupe } Price Upon Application



WILLYS-KNIGHT FOUR TOURING—88

COLOR	Body, French blue; wheels, cream	LUBRICATION	Force feed and spray
SEATING CAPACITY	Seven	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Thermo-syphon
WHEELBASE	121 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	34 x 4½ inches	LIGHTING SYSTEM	Electric
REAR TIRES	34 x 4½ inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Four	CLUTCH	Cone
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	27.23	DRIVE	Spiral bevel
BORE AND STROKE	4⅛ x 4½ inches	REAR AXLE	Full floating
		STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

WILLYS-OVERLAND, INC.

TOLEDO, OHIO

Touring	Prices Upon Application
Touring Sedan	
Varsity	
Limousine	
Town Car	



WILLYS-KNIGHT EIGHT TOURING—88

COLOR	Body, blue; wheels, cream	LUBRICATION	Force feed and spray
SEATING CAPACITY	Seven	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Thermo-syphon
WHEELBASE	125 inches	IGNITION	Storage battery
GAUGE	56 inches	STARTING SYSTEM	Two unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	34 x 4½ inches	LIGHTING SYSTEM	Electric
REAR TIRES	34 x 4½ inches, anti-skid	VOLTAGES	Six to eight
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Eight	CLUTCH	Cone
ARRANGED	V type, 90 degrees	TRANSMISSION	Selective sliding
CAST	In fours	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	36.45	DRIVE	Spiral bevel
BORE AND STROKE	3⅜ x 4 inches	REAR AXLE	Full floating
		STEERING GEAR	Worm and gear

In addition to above specifications, price includes top, top hood, windshield, speedometer, ammeter, tire pump, electric horn and demountable rims.

Digitized by Google

Digitized by Google

ILLUSTRATIONS AND SPECIFICATIONS ELECTRIC VEHICLES


Digitized by Google

Digitized by Google

ANDERSON ELECTRIC CAR COMPANY

DETROIT MICHIGAN

Price	**$2940**
Five-Passenger Brougham—72	**3015**
Five-Passenger Brougham—73	**2990**
Five-Passenger Brougham—74	**3040**
Four-Passenger Brougham—75	**2375**
Three-Passenger Convertible Roadster—76	**2375**



DETROIT ELECTRIC BROUGHAM—71


COLOR	Detroit gray-green, Rolls-Royce blue, deep maroon or Brewster green
SEATING CAPACITY	Four
BODY:	
LENGTH OVER ALL	142 inches
WIDTH OVER ALL	67 inches
WHEELBASE	100 inches
GAUGE	56 inches
WHEELS	Wire
FRONT TIRES	34 x 4½ inches, pneumatic
REAR TIRES	34 x 4½ inches, pneumatic, anti-skid
BRAKE SYSTEMS	Expanding on rear wheels; also electric on motor
BATTERY	42 cells, 15 plate
SPEED	6 to 25 miles per hour
NO. FORWARD SPEEDS	Five
NO. REVERSE SPEEDS	Five
CONTROL	Lever operated
STEERING	Lever

Digitized by Google

MILBURN WAGON COMPANY

TOLEDO, OHIO

Price	$1885
Sedan	2685
Limousine	2785
1500-Pound Delivery Chassis	1485



MILBURN BROUGHAM—27


Color	Milburn blue
Seating Capacity	Five
Body:	
Length Over All	138 inches
Width Over All	66 inches
Wheelbase	105 inches
Gauge	56 inches
Wheels	Wire or wood
Front Tires	32 x 3½ inches, pneumatic
Rear Tires	32 x 3½ inches, pneumatic
Brake Systems	Expanding on rear wheels
Battery	40 cells, 11 plate
Speed	23 miles per hour
No. Forward Speeds	Five
No. Reverse Speeds	Two
Control	Lever operated
Steering	Lever

Digitized by Google

WOODS MOTOR VEHICLE COMPANY

CHICAGO ILLINOIS

Price, $2950



WOODS DUAL POWER—54


COLOR	Green or blue
SEATING CAPACITY	Four
BODY:	
LENGTH OVER ALL	102 inches
WIDTH OVER ALL	59 inches
WHEELBASE	124½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches, pneumatic
REAR TIRES	34 x 4 inches, pneumatic
BRAKE SYSTEMS	Expanding on rear wheels
BATTERY	24 cells, 11 plate
SPEED	35 miles per hour
NO. FORWARD SPEEDS	Infinite
NO. REVERSE SPEEDS	Infinite
CONTROL	Finger levers and pedal
Steering	Wheel

Digitized by Google

OHIO ELECTRIC CAR COMPANY

TOLEDO, OHIO

Price, $2680



OHIO ELECTRIC—44


Color	Optional
Seating Capacity	Five
Body:	
Length Over All	148 inches
Width Over All	67 inches
Wheelbase	103 inches
Gauge	56 inches
Wheels	Wire or wood
Front Tires	33 x 4½ inches, pneumatic
Rear Tires	33 x 4½ inches, pneumatic, anti-skid
Brake Systems	Double external
Battery	40 cells, 13 or 15 plate
Speed	26 miles per hour
No. Forward Speeds	Five
No. Reverse Speeds	Three
Control	Magnetic
Steering	Lever

Digitized by Google

OHIO ELECTRIC CAR COMPANY

TOLEDO, OHIO

Price, $3250



OHIO ELECTRIC—63


COLOR	Optional
SEATING CAPACITY	Five
BODY:	
LENGTH OVER ALL	148 inches
WIDTH OVER ALL	67 inches
WHEELBASE	103 inches
GAUGE	56 inches
WHEELS	Wire or wood
FRONT TIRES	34 x 4½ inches, pneumatic
REAR TIRES	34 x 4½ inches, pneumatic, anti-skid
BRAKE SYSTEMS	Double external
BATTERY	40 cells, 13 or 15 plate
SPEED	26 miles per hour
NO. FORWARD SPEEDS	Five
NO. REVERSE SPEEDS	Three
CONTROL	Magnetic
STEERING	Lever

Digitized by Google

BAKER R & L COMPANY

CLEVELAND, OHIO

Price, $3000



RAUCH & LANG ELECTRIC—BX-7


COLOR	Optional
SEATING CAPACITY	Five
BODY:	
LENGTH, INSIDE	64 inches
WIDTH, INSIDE	58¼ inches
WHEELBASE	92 inches
GAUGE	56 inches
WHEELS	Wire or wood
FRONT TIRES	33 x 4½ inches pneumatic, or 36 x 4½ inches cushion
REAR TIRES	33 x 4½ inches pneumatic, or 36 x 4½ inches cushion, anti-skid
BRAKE SYSTEMS	Contracting on motor and expanding on rear wheels
BATTERY	41 cells, 13 or 15 plate
SPEED	25 miles per hour
NO. FORWARD SPEEDS	Six
NO. REVERSE SPEEDS	Four
CONTROL	Side lever
STEERING	Lever

Digitized by Google

GENERAL VEHICLE COMPANY INCORPORATED

LONG ISLAND CITY NEW YORK

Price, Chassis, $3250



G. V. THREE-AND-ONE-HALF-TON TRUCK

COLOR	Lead
CARRYING CAPACITY	7000 pounds
BODY:	
LENGTH OVER ALL	189 inches
WIDTH OVER ALL	79 inches
WHEELBASE	133 inches
GAUGE	65 inches
WHEELS	Wood
FRONT TIRES	36 x 6 inches, single solid
REAR TIRES	36 x 4 inches, dual solid
BRAKE SYSTEMS	Expanding on rear wheels and contracting on countershaft
BATTERY	44 cells, 21 plate
SPEED	8 miles per hour
No. FORWARD SPEEDS	Five
No. REVERSE SPEEDS	Two
CONTROL	Lever operated
STEERING	Wheel

Digitized by Google

Digitized by Google

ILLUSTRATIONS AND SPECIFICATIONS GASOLINE COMMERCIAL VEHICLES

Digitized by Google

N. A. C. C. DEFINITION OF STANDARD CHASSIS FOR GASOLINE COMMERCIAL VEHICLES

A STANDARD chassis of a commercial vehicle to be propelled by an internal combustion engine shall consist of an assembly of all essential parts of a truck chassis with protective housings, ready for operation on the road, including, as minimum equipment, a set of tires attached to wheels; driver's seat with padding or cushion on all chassis rated at one-ton capacity or more; front wheel fenders; running board or mounting step; tool compartment; priming coat of lead on all parts to be painted; pair of front lights and one tail lamp; license brackets; warning signal; jack and a set of tools commonly used for making adjustments and minor repairs on the road.

N. A. C. C. DEFINITION OF STANDARD CHASSIS FOR ELECTRIC COMMERCIAL VEHICLES


A STANDARD chassis of a commercial vehicle to be propelled by electricity shall consist of a running gear, motor, battery cradle or box, driving and control mechanism and wiring, with all essential parts, fittings and protective housings thereof, assembled complete ready for operation on the road with the exception of a battery; a priming coat of lead on all parts to be painted; and, as minimum equipment, a set of tires attached to wheels; pair of front lights and one tail lamp, with necessary wiring installed; license brackets; charging plug and cable; odometer; warning signal, and set of tools commonly used for making adjustments and minor repairs on the road.

Digitized by Google

KISSEL MOTOR CAR COMPANY

HARTFORD WISCONSIN

Price, Chassis, $1885



KISSEL GENERAL UTILITY ONE-AND-ONE-QUARTER-TON TRUCK

COLOR	Lead
CARRYING CAPACITY	2500 pounds
POSITION OF DRIVER	Left side
WHEELBASE	152 inches
GAUGE	Front, 56 inches; rear, 56 inches
WHEELS	Wood
FRONT TIRES	34 x 3 inches, single solid
REAR TIRES	34 x 4 inches, single solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	24.03
BORE AND STROKE	3⅞ x 5½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Semi-floating
STEERING GEAR	Screw and split nut


In addition to above specifications, price includes cab.

Digitized by Google

KISSEL MOTOR CAR COMPANY

HARTFORD WISCONSIN

Price, Chassis, $2575



KISSEL TWO-TON FREIGHTER TRUCK

COLOR	Lead
CARRYING CAPACITY	4000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	168 inches
GAUGE	Front, 57⅜ inches; rear, 57¼ inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches, single solid
REAR TIRES	36 x 7 inches, single solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Screw and split nut


In addition to above specifications, price includes cab

Digitized by Google

KISSEL MOTOR CAR COMPANY

HARTFORD WISCONSIN

Price, Chassis, $3550



KISSEL THREE-AND-ONE-HALF-TON HEAVY-DUTY TRUCK

COLOR	Lead
CARRYING CAPACITY	7000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	168 inches
GAUGE	Front, 62¼ inches; rear, 66 inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	36 x 5 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Semi-floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes cab.

Digitized by Google

BUICK MOTOR COMPANY

F L I N T
M I C H I G A N

Price, $790



BUICK LIGHT DELIVERY—E-4

COLOR	Body, green; running gear, black	LUBRICATION	Splash with circulating pump
CARRYING CAPACITY	500 pounds	RADIATOR	Cellular
POSITION OF DRIVER	Left side	COOLING	Water pump
WHEELBASE	106 inches	IGNITION	High tension generator and storage battery
GAUGE	56 inches	STARTING SYSTEM	Single unit
WHEELS	Wood	STARTER OPERATED	Gear to fly wheel
FRONT TIRES	31 x 4 inches, anti-skid	LIGHTING SYSTEM	Electric
REAR TIRES	31 x 4 inches, anti-skid	VOLTAGES	Six
SERVICE BRAKE	Contracting on rear wheels	WIRING SYSTEM	Single
EMERGENCY BRAKE	Expanding on rear wheels	GASOLINE SYSTEM	Vacuum
CYLINDERS	Four	CLUTCH	Cone
ARRANGED	Vertically	TRANSMISSION	Selective sliding
CAST	En bloc	GEAR CHANGES	Three forward, one reverse
HORSEPOWER (N.A.C.C. Rating)	18.23	DRIVE	Plain bevel
BORE AND STROKE	3⅜ x 4¾ inches	REAR AXLE	Three-quarters floating
		STEERING GEAR	Screw and nut


In addition to above specifications, price includes top, windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

KELLY-SPRINGFIELD MOTOR TRUCK COMPANY

SPRINGFIELD OHIO

Price, Chassis, $2500



KELLY-SPRINGFIELD ONE-AND-ONE-HALF-TON TRUCK—K-32

COLOR	Lead
CARRYING CAPACITY	3000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	144 inches; or 112, 120 or 168 inches
GAUGE	Front, 56 inches; rear, 61 inches
WHEELS	Wood
FRONT TIRES	36 x 3½ inches, single solid
REAR TIRES	36 x 6 inches, single solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5¼ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes hub odometer.

Digitized by Google

KELLY-SPRINGFIELD MOTOR TRUCK COMPANY

SPRINGFIELD OHIO

Price, Chassis, $3850



KELLY-SPRINGFIELD THREE-AND-ONE-HALF-TON TRUCK—K-40

COLOR	Lead
CARRYING CAPACITY	7000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	150 inches; or 116, 120, 172, 194 or 208 inches
GAUGE	Front, 70 inches; rear, 73¾ inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 5 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	32.4
BORE AND STROKE	4½ x 6½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Double chain
REAR AXLE	Dead
STEERING GEAR	Worm and gear


In addition to above specifications, price includes hub odometer.

Digitized by Google

K E L L Y - SPRINGFIELD MOTOR TRUCK C O M P A N Y

SPRINGFIELD O H I O

Price, Chassis, $4600



KELLY-SPRINGFIELD FIVE-TON TRUCK—K-50

COLOR	Lead
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	150 inches; or 120, 172, 194 or 208 inches
GAUGE	Front, 71 inches; rear, 75½ inches
WHEELS	Wood
FRONT TIRES	36 x 6 inches, single solid
REAR TIRES	40 x 6 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	32.4
BORE AND STROKE	4½ x 6½ inches
LUBRICATION	Force feed
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Double chain
REAR AXLE	Dead
STEERING GEAR	Worm and gear


In addition to above specifications, price includes voltmeter and hub odometer.

Digitized by Google

GARFORD MOTOR TRUCK COMPANY

LIMA, OHIO

Price, Chassis	**$3000**
One-Ton Chassis	**2100**
One-and-One-Half-Ton Chassis	**2500**



GARFORD TWO-TON TRUCK—70-B

COLOR	Lead
CARRYING CAPACITY	4000 pounds
POSITION OF DRIVER	Optional
WHEELBASE	142 inches
GAUGE	Front, 58½ inches; rear, 60¾ inches
WHEELS	Wood
FRONT TIRES	36 x 4 inches, single solid
REAR TIRES	36 x 4 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes driver's seat, odometer and horn.

Digitized by Google

GARFORD MOTOR TRUCK COMPANY

LIMA, OHIO

Price, Chassis, $3900



GARFORD THREE-AND-ONE-HALF-TON TRUCK—77-B

COLOR	Lead
CARRYING CAPACITY	7000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	128 inches
GAUGE	Front, 62½ inches; rear, 65 inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 5 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Contracting on propeller shaft
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 6 inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto and dry cells
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes odometer, cab, windshield, side curtains, searchlight, Prest-O-Lite tank and horn.

Digitized by Google

GARFORD MOTOR TRUCK COMPANY

LIMA, OHIO

Price, Chassis$4900
Five-Ton Chassis 4700



GARFORD SIX-TON TRUCK—69

COLOR	Lead
CARRYING CAPACITY	12,000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	128 inches
GAUGE	Front, 67½ inches; rear, 73 inches
WHEELS	Steel
FRONT TIRES	36 x 6 inches, single solid
REAR TIRES	40 x 7 inches, dual solid
SERVICE BRAKE	Contracting on countershaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	41.61
BORE AND STROKE	5 1/10 x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto and dry cells
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Side chain
REAR AXLE	Dead
STEERING GEAR	Worm and nut


In addition to above specifications, price includes odometer, cab, windshield, side curtains, searchlight, Prest-O-Lite tank and horn.

Digitized by Google

REO MOTOR CAR COMPANY

LANSING MICHIGAN

Price, Chassis . $1100
With Body . . . 1175



REO THREE-QUARTER-TON TRUCK—F

COLOR	Lead
CARRYING CAPACITY	1500 pounds
POSITION OF DRIVER	Left side
WHEELBASE	128 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches, pneumatic
REAR TIRES	34 x 4½ inches, pneumatic, anti-skid
SERVICE BRAKE . . .	Contracting on rear wheels
EMERGENCY BRAKE .	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	27.23
BORE AND STROKE .	4⅛ x 4½ inches
LUBRICATION	Pump over and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM . .	Two unit
STARTER OPERATED .	Chain to transmission shaft
LIGHTING SYSTEM . .	Electric
Voltages	Six
WIRING SYSTEM . . .	Double
GASOLINE SYSTEM . .	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION . . .	Selective sliding
GEAR CHANGES . . .	Three forward, one reverse
DRIVE	Spiral bevel
REAR AXLE	Full floating
STEERING GEAR . . .	Pinion and sector


In addition to above specifications, price includes top, windshield, speedometer, ammeter, tire pump, horn and demountable rims.

Digitized by Google

PIERCE-ARROW MOTOR CAR COMPANY

BUFFALO NEW YORK

Price, Chassis, $3750



PIERCE-ARROW TWO-TON TRUCK—X-3


COLOR	Optional
CARRYING CAPACITY	4000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	150 or 180 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	36 x 4 inches, single solid
REAR TIRES	36 x 4 inches, dual solid
SERVICE BRAKE	Contracting on transmission
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	25.6
BORE AND STROKE	4 x 5½ inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto and dry battery
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Screw and nut

Digitized by Google

PIERCE-ARROW MOTOR CAR COMPANY

BUFFALO NEW YORK

Price, Chassis, $5500



PIERCE-ARROW FIVE-TON TRUCK—R-8


COLOR	Optional
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	168, 204 or 132 inches
GAUGE	64 inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 6 inches, dual solid
SERVICE BRAKE	Contracting on transmission
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	38.03
BORE AND STROKE	4⅞ x 6 inches
LUBRICATION	Gravity feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto and dry batteries
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Screw and nut

Digitized by Google

AMERICAN-LA FRANCE FIRE ENGINE COMPANY

ELMIRA NEW YORK

Price, 1000-gallon, 6-C	$11000
750-gallon, 6-C	10250
600-gallon, 4-C	9300
500-gallon, 4-C	9000
350-gallon, 6-C	8150
300-gallon, 4-C	7400



AMERICAN-LA FRANCE TRIPLE COMBINATION PUMPING CAR

Color	Optional
Position of Driver	Right side
Wheelbase	11 ft. 8¾ inches or 13 ft. ¾ inch
Gauge	Front, 62 inches; rear, 71¼ inches
Wheels	Wood
Front Tires	38 x 4 inches, single cushion
Rear Tires	38 x 4 inches, dual cushion
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four or six
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	48.4 or 72.6
Bore and Stroke	5½ x 6 inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Gravity
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Plain bevel
Rear Axle	Dead
Steering Gear	Worm and gear


In addition to above specifications, price includes speedometer, voltmeter, horn and demountable rims.

Digitized by Google

AMERICAN-LA FRANCE FIRE ENGINE COMPANY

ELMIRA NEW YORK

Price, 85-foot, 6-C	$12750
75-foot, 6-C	12250
65-foot, 6-C	11750
55-foot, 6-C	11250
85-foot, 4-C	12250
75-foot, 4-C	11750
65-foot, 4-C	11250
55-foot, 4-C	10750



AMERICAN-LA FRANCE AERIAL HOOK AND LADDER TRUCK

Color	Optional
Position of Driver	Right side
Wheelbase	19 ft. 9 in. to 31 ft. 9 in.
Gauge	Front, 76¾ inches; rear, 62 inches
Wheels	Front, solid cast steel; rear, wood
Front Tires	38 x 4 inches, dual solid
Rear Tires	42 x 4 inches, single solid
Service Brake	Expanding on front wheels
Emergency Brake	Expanding on front wheels
Cylinders	Four or six
Arranged	Vertically
Cast	In pairs
Horsepower	48.4 or 72.6 (N.A.C.C. Rating)
Bore and Stroke	5½ x 6 inches
Lubrication	Force feed and splash
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Gravity
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	To front wheels
Rear Axle	Dead
Steering Gear	Planetary


In addition to above specifications, price includes speedometer, voltmeter, horn and demountable rims.

Digitized by Google

THE
G. A. SCHACHT
MOTOR TRUCK
COMPANY

CINCINNATI, OHIO

Price, Chassis	$3700
Two-Ton	2950
Two-and-One-Half-Ton	3300



SCHACHT THREE-AND-ONE-HALF-TON TRUCK


Color	Lead
Carrying Capacity	7000 pounds
Position of Driver	Left side
Wheelbase	168 inches
Gauge	Front, 62 inches; rear, 64 inches
Wheels	Wood
Front Tires	36 x 5 inches, single solid
Rear Tires	36 x 5 inches, dual solid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	28.9
Bore and Stroke	4¼ x 5½ inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto
Lighting System	Gas
Gasoline System	Gravity
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Worm
Rear Axle	Live
Steering Gear	Worm and gear

Digitized by Google

THE
G. A. SCHACHT
MOTOR TRUCK
COMPANY

CINCINNATI, OHIO

Price, Chassis, $4700



SCHACHT FIVE-TON TRUCK


COLOR	Lead
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	168 inches
GAUGE	Front, 64 inches; rear, 66 inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 6 inches, dual solid
SERVICE BRAKE	Contracting on drive shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
LIGHTING SYSTEM	Gas
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Live
STEERING GEAR	Worm and nut

Digitized by Google

VELIE MOTORS CORPORATION

MOLINE ILLINOIS

Price, Chassis	**$3600**
One-and-One-half to Two-Ton	**2750**
Special Ambulance Chassis, Fire Department Chassis, Farm Tractor	**Prices on application**



VELIE THREE-AND-ONE-HALF-TON TRUCK—26

COLOR	Lead
CARRYING CAPACITY	7000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	148 or 172 inches
GAUGE	Front, 62 inches; rear, 64 inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 5 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	32.4
BORE AND STROKE	4½ x 5½ inches
LUBRICATION	Pump over and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Vacuum
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes top, seat, odometer and horn.

Digitized by Google

GENERAL MOTORS TRUCK COMPANY

PONTIAC MICHIGAN

Price, Chassis, $2350



G M C ONE-AND-ONE-HALF-TON TRUCK—31


COLOR	Lead
CARRYING CAPACITY	3000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	130 or 144 inches
GAUGE	Front, 58 inches; rear, 58½ inches
WHEELS	Wood
FRONT TIRES	36 x 3½ inches, single solid
REAR TIRES	36 x 5 inches, single solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5 inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Screw and nut

Digitized by Google

STUDEBAKER CORPORATION

SOUTH BEND INDIANA

Price, Chassis	**$1300**
With Seat	**1350**
With Express Body	**1400**
With Stake Body	**1450**
With 16-Passenger Bus Body	**1600**



STUDEBAKER ONE-TON TRUCK

COLOR	Body, blue; running gear, black
CARRYING CAPACITY	2000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	125 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	35 x 5 inches
REAR TIRES	35 x 5 inches, anti-skid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	24.03
BORE AND STROKE	3⅞ x 5 inches
LUBRICATION	Circulating splash with gear pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Chain to crank shaft
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Full floating
STEERING GEAR	Worm and gear


In addition to above specifications, price includes speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

STUDEBAKER CORPORATION

SOUTH BEND INDIANA

Price, Chassis	$945
With Panel Body	985
With Express Body	960
With Combination Passenger and Express Body	985



STUDEBAKER 1000-POUND COMMERCIAL

Color	Body, dark blue; running gear, black
Carrying Capacity	1000 pounds
Position of Driver	Left side
Wheelbase	112 inches
Gauge	56 inches
Wheels	Wood
Front Tires	34 x 4 inches
Rear Tires	34 x 4 inches, anti-skid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	24.03
Bore and Stroke	3⅞ x 5 inches
Lubrication	Circulating splash with gear pump
Radiator	Tubular
Cooling	Water pump
Ignition	Storage battery
Starting System	Two unit
Starter Operated	Chain to crank shaft
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Cone
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Plain bevel
Rear Axle	Full floating
Steering Gear	Worm and gear


In addition to above specifications, price includes windshield, speedometer, ammeter, electric horn and demountable rims.

Digitized by Google

THE AUTOCAR
COMPANY

ARDMORE
PENNSYLVANIA

Price, Chassis, $1815



AUTOCAR ONE-AND-ONE-HALF OR TWO-TON TRUCK—XXI-F


COLOR	Gear, red; seat structure, green
CARRYING CAPACITY	3000 to 4000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	97 inches
GAUGE	58 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches single solid, or 36x5 inches pneumatic
REAR TIRES	34 x 5 inches single solid, or 36x5 inches pneumatic
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Two
ARRANGED	Horizontally
CAST	Separately
HORSEPOWER (N.A.C.C. Rating)	18
BORE AND STROKE	4¾ x 4½ inches
LUBRICATION	Mechanical oiler and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
LIGHTING SYSTEM	Gas and oil
GASOLINE SYSTEM	Gravity
CLUTCH	Multiple disc dry plate
TRANSMISSION	Progressive sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Full floating
STEERING GEAR	Bevel pinion and sector

Digitized by Google

VIM MOTOR TRUCK COMPANY

PHILADELPHIA PENNSYLVANIA

Price, Chassis $3550
One-and-One-Half-Ton 2750



VIM THREE-TON TRUCK—23


COLOR	Battleship gray
CARRYING CAPACITY	6000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	142, 150, or 175 inches
GAUGE	57 or 60 inches
WHEELS	Wood
FRONT TIRES	36 x 4 inches, single solid
REAR TIRES	36 x 4 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5½ inches
LUBRICATION	Force feed
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Multiple dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Semi-floating
STEERING GEAR	Worm and gear

Digitized by Google

SERVICE MOTOR TRUCK COMPANY

WABASH INDIANA

Price, Chassis, $2550



SERVICE ONE-AND-ONE-HALF-TON TRUCK—230

Color	Lead
Carrying Capacity	3000 pounds
Position of Driver	Left side
Wheelbase	150 inches
Gauge	58 inches
Wheels	Wood
Front Tires	36 x 3½ inches
Rear Tires	36 x 5 inches
Service Brake	Expanding on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	25.6
Bore and Stroke	4 x 5½ inches
Lubrication	Full force feed
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto
Gasoline System	Gravity
Clutch	Dry plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Worm
Rear Axle	Full floating
Steering Gear	Worm and sector

Digitized by Google

SERVICE MOTOR TRUCK COMPANY

WABASH INDIANA

Price, Chassis, $4600



SERVICE FIVE-TON TRUCK—300


COLOR	Lead
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	171½, 190½ or 153½ inches
GAUGE	69½ inches
WHEELS	Wood
FRONT TIRES	36 x 6 inches, single solid
REAR TIRES	40 x 6 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	32.4
BORE AND STROKE	4½ x 6 inches
LUBRICATION	Full force feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and sector

Digitized by Google

PACKARD
MOTOR CAR
COMPANY

DETROIT
MICHIGAN

Price, Chassis	$4900
One-Ton	2450
One-and-One-Half-Ton	2800
Two-Ton	3200
Three-Ton	3900
Four-Ton	4375
Six-Ton	5150



PACKARD FIVE-TON TRUCK—5-E


Color	Gray
Carrying Capacity	12,500 pounds
Position of Driver	Left side
Wheelbase	13 feet or 15 feet, 6 inches
Gauge	Front, 69¾ inches; rear, 69½ inches
Wheels	Steel disc
Front Tires	36 x 6 inches, single solid
Rear Tires	40 x 6 inches, dual solid
Service Brake	Contracting on drive shaft
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	In fours
Horsepower (N.A.C.C. Rating)	40
Bore and Stroke	5 x 5½ inches
Lubrication	Force feed
Radiator	Cellular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Gasoline System	Pressure
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Worm
Rear Axle	Full floating
Steering Gear	Worm and gear

Digitized by Google

INTERNATIONAL
MOTOR
COMPANY
MACK
MOTOR
DEPARTMENT

WEST END AVENUE
AND 64th STREET
NEW YORK, N. Y.

Price, Chassis. $4750



MACK FIVE-AND-ONE-HALF-TON TRUCK—AC

COLOR	Lead
CARRYING CAPACITY	11,000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	156, 168 or 180 inches
GAUGE	Front, 68 inches; rear, 74½ inches
WHEELS	Wood
FRONT TIRES	36 x 6 inches, single solid
REAR TIRES	40 x 6 inches, dual solid or block
SERVICE BRAKE	Contracting on jack shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	40
BORE AND STROKE	5 x 6 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Double chain
REAR AXLE	Dead
STEERING GEAR	Worm and gear


Digitized by Google

INTERNATIONAL MOTOR COMPANY

SAURER MOTOR DEPARTMENT

WEST END AVENUE AND 64th STREET NEW YORK, N. Y.

Price, Chassis, $4800



SAURER FIVE-TON TRUCK—L


COLOR	Lead
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	153½ inches
GAUGE	66¼ inches
WHEELS	Wood
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	42 x 5 inches, dual solid
SERVICE BRAKE	Contracting on differential
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	29.75
BORE AND STROKE	$4\frac{5}{16}$ x 5½ inches
LUBRICATION	Full splash with mechanical oiler
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Pressure
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Double chain
REAR AXLE	Dead
STEERING GEAR	Worm and sector

Digitized by Google

DORRIS MOTOR CAR COMPANY

ST. LOUIS MISSOURI

Price Upon Application



DORRIS TWO-TON TRUCK—K4

Color	Lead	Horsepower (N.A.C.C. Rating)	28.9
Carrying Capacity	4000 pounds	Bore and Stroke	4¼ x 5½ inches
Position of Driver	Left side	Lubrication	Full force feed
Wheelbase	144 or 162 inches	Radiator	Tubular
Gauge	58½ inches	Cooling	Water pump
Wheels	Wood	Ignition	High tension magneto
Front Tires	36 x 4 inches, single solid	Gasoline System	Gravity
Rear Tires	36 x 4 inches, dual solid; or 36 x 7, single solid	Clutch	Dry multiple disc
Service Brake	Expanding on rear wheels	Transmission	Selective sliding
Emergency Brake	Expanding on rear wheels	Gear Changes	Four forward, one reverse
Cylinders	Four	Drive	Worm
Arranged	Vertically	Rear Axle	Full floating
Cast	En bloc	Steering Gear	Worm and gear


In addition to above specifications, price includes speedometer and horn.

Digitized by Google

SELDEN MOTOR VEHICLE COMPANY

ROCHESTER NEW YORK

Price, Chassis, $1850.



SELDEN ONE-TON TRUCK—TXL


Color	Optional
Carrying Capacity	2000 pounds
Position of Driver	Right side
Wheelbase	140 inches
Gauge	Front, 56 inches; rear, 56¾ inches
Wheels	Wood
Front Tires	34 x 3 inches, single solid
Rear Tires	34 x 4 inches, single solid
Service Brake	Contracting on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	19.6
Bore and Stroke	3½ x 5 inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Thermo-syphon
Ignition	High tension magneto
Gasoline System	Gravity
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Internal gear
Rear Axle	Dead
Steering Gear	Worm and nut

Digitized by Google

SELDEN MOTOR VEHICLE COMPANY

ROCHESTER NEW YORK

Price, Chassis, $3150



SELDEN THREE-AND-ONE-HALF-TON TRUCK—NL

COLOR	Optional	HORSEPOWER (N.A.C.C. Rating)	32.4
CARRYING CAPACITY	7000 pounds	BORE AND STROKE	4½ x 5½ inches
POSITION OF DRIVER	Right side	LUBRICATION	Splash with circulating pump
WHEELBASE	164 inches	RADIATOR	Tubular
GAUGE	Front, 61 inches; rear, 66¾ inches	COOLING	Water pump
WHEELS	Wood	IGNITION	High tension magneto
FRONT TIRES	36 x 5 inches, single solid	GASOLINE SYSTEM	Gravity
REAR TIRES	36 x 5 inches, dual solid	CLUTCH	Multiple disc
SERVICE BRAKE	Expanding on rear wheels	TRANSMISSION	Selective sliding
EMERGENCY BRAKE	Expanding on rear wheels	GEAR CHANGES	Four forward, one reverse
CYLINDERS	Four	DRIVE	Worm
ARRANGED	Horizontally	REAR AXLE	Full floating
CAST	In pairs	STEERING GEAR	Worm and nut


In addition to above specifications, price includes tire pump, electric horn and demountable rims.

Digitized by Google

LOCOMOBILE COMPANY OF AMERICA

BRIDGEPORT CONNECTICUT

Price Upon Application



RIKER THREE-TON TRUCK—B

COLOR	Lead
CARRYING CAPACITY	6000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	150, 170 or 190 inches
GAUGE	Front, 60 inches; rear, 66 inches
WHEELS	Wood or steel
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	36 x 5 inches, dual solid
SERVICE BRAKE	Contracting on propeller shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 6 inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	Dual high tension magneto and storage battery
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Screw and nut


In addition to above specifications, price includes odometer and horn.

Digitized by Google

LOCOMOBILE COMPANY OF AMERICA

BRIDGEPORT CONNECTICUT

Price Upon Application



RIKER FOUR-TON TRUCK—BB

COLOR	Lead	HORSEPOWER (N.A.C.C. Rating)	28.9
CARRYING CAPACITY	8000 pounds	BORE AND STROKE	4¼ x 6 inches
POSITION OF DRIVER	Right side	LUBRICATION	Force feed and splash
WHEELBASE	150, 170 or 190 inches	RADIATOR	Tubular
GAUGE	Front, 60 inches; rear, 66 inches	COOLING	Water pump
WHEELS	Wood or steel	IGNITION	Dual high tension magneto and storage battery
FRONT TIRES	36 x 5 inches, single solid	GASOLINE SYSTEM	Gravity
REAR TIRES	36 x 6 inches, dual solid	CLUTCH	Cone
SERVICE BRAKE	Contracting on propeller shaft	TRANSMISSION	Selective sliding
EMERGENCY BRAKE	Expanding on rear wheels	GEAR CHANGES	Four forward, one reverse
CYLINDERS	Four	DRIVE	Worm
ARRANGED	Vertically	REAR AXLE	Full floating
CAST	In pairs	STEERING GEAR	Screw and nut


In addition to above specifications, price includes odometer and horn.

Digitized by Google

WHITE MOTOR COMPANY

CLEVELAND, OHIO

Price, Chassis $2300
With Standard Express Body . . 2500



WHITE THREE-QUARTER-TON TRUCK


COLOR	Body, dark green; chassis, red
CARRYING CAPACITY	1500 pounds
POSITION OF DRIVER	Left side
WHEELBASE	133½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 4½ inches, pneumatic
REAR TIRES	34 x 4½ inches, pneumatic
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5⅛ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
LIGHTING SYSTEM	Gas
GASOLINE SYSTEM	Gravity
CLUTCH	Single plate in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Plain bevel
REAR AXLE	Semi-floating
STEERING GEAR	Worm and sector

Digitized by Google

WHITE MOTOR COMPANY

CLEVELAND, OHIO

Price, Chassis	**$3300**
With Standard Express Body	**3550**
With Standard Platform Body	**3500**



WHITE ONE-AND-ONE-HALF - TWO-TON TRUCK


COLOR	Red
CARRYING CAPACITY	3000 to 4000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	157½ inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	36 x 4½ inches single pneumatic, or 36 x 4 inches single solid
REAR TIRES	36 x 4½ inches dual pneumatic, 36 x 4 inches dual solid, or 36 x 7 inches single solid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5⅛ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
LIGHTING SYSTEM	Gas
GASOLINE SYSTEM	Gravity
CLUTCH	Single plate in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Plain bevel, double reduction
REAR AXLE	Semi-floating
STEERING GEAR	Worm and sector

Digitized by Google

WHITE MOTOR COMPANY

CLEVELAND, OHIO

Price, Chassis $4100
With Standard Platform Body . 4350



WHITE THREE-TON TRUCK


COLOR	Red
CARRYING CAPACITY	6000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	163 inches
GAUGE	Front, 64 inches; rear, 61 inches
WHEELS	Steel
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 5 inches, dual solid
SERVICE BRAKE	Contracting on jack shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	22.5
BORE AND STROKE	3¾ x 5⅛ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Single plate in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Double chain
REAR AXLE	Semi-floating
STEERING GEAR	Worm and sector

Digitized by Google

WHITE MOTOR COMPANY

CLEVELAND, OHIO

Price, Chassis. $5000
With Standard Platform Body . 5250



WHITE FIVE-TON TRUCK


COLOR	Red
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	169 inches
GAUGE	64 inches
WHEELS	Steel
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 6 inches, dual solid
SERVICE BRAKE	Contracting on jack shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 6⅜ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Single plate in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Double side chain
REAR AXLE	Semi-floating
STEERING GEAR	Worm and sector

Digitized by Google

ATTERBURY
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price, Chassis	**$2475**
With Platform and Stake Body	**2700**
With Stake and Rack Body	**2725**
With Open Express Body	**2750**
With Covered Express Body	**2825**



ATTERBURY ONE-AND-ONE-HALF-TON TRUCK—7R


COLOR	Lead
CARRYING CAPACITY	3000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	140¼ inches
GAUGE	Front, 58 inches; rear, 58½ inches
WHEELS	Wood
FRONT TIRES	36 x 3½ inches, single solid
REAR TIRES	36 x 5 inches, single solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.23
BORE AND STROKE	4⅛ x 5¼ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and sector

Digitized by Google

ATTERBURY
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price, Standard Chassis	$2875
Long Chassis	2975
With Platform and Stake Body	3125
With Stake and Rack Body	3150
With Open Express Body	3175
With Covered Express Body	3275



ATTERBURY TWO-TON TRUCK—7C


Color	Lead
Carrying Capacity	4000 pounds
Position of Driver	Right side
Wheelbase	153½ inches
Gauge	Front, 58 inches; rear, 60½ inches
Wheels	Wood
Front Tires	36 x 4 inches, single solid
Rear Tires	36 x 4 inches, dual solid
Service Brake	Expanding on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	27.23
Bore and Stroke	4⅛ x 5¼ inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto
Gasoline System	Gravity
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Worm
Rear Axle	Full floating
Steering Gear	Worm and sector

Digitized by Google

ATTERBURY
MOTOR CAR
COMPANY

BUFFALO
NEW YORK

Price, Standard Chassis	$3775
Long Chassis	3875
With Platform and Stake Body	4050
With Stake and Rack Body	4075
With Open Express Body	4125
With Covered Express Body	4250



ATTERBURY THREE-AND-ONE-HALF TON TRUCK—7D


Color	Lead
Carrying Capacity	7000 pounds
Position of Driver	Right side
Wheelbase	167½ inches
Gauge	Front, 66 inches; rear, 67¼ inches
Wheels	Wood
Front Tires	36 x 5 inches, single solid
Rear Tires	40 x 5 inches, dual solid
Service Brake	Expanding on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	In pairs

Horsepower (N.A.C.C. Rating)	32.4
Bore and Stroke	4½ x 5½ inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto
Gasoline System	Gravity
Clutch	Dry multiple disc
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Worm
Rear Axle	Full floating
Steering Gear	Worm and sector

Digitized by Google

KLEIBER & CO.
INCORPORATED
SAN FRANCISCO
CALIFORNIA

Price, Chassis	**$3200**
One-Ton	**2100**
One-and-One-Half-Ton	**2500**
Two-Ton	**2750**
Three-and-One-Half-Ton	**3850**
Five-Ton	**4900**



KLEIBER TWO-AND-ONE-HALF-TON—B


COLOR	Red
CARRYING CAPACITY	5000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	150 inches
GAUGE	62 inches
WHEELS	Wood
FRONT TIRES	36 x 4 inches, single solid
REAR TIRES	36 x 4 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	32.4
BORE AND STROKE	4½ x 5½ inches
LUBRICATION	Force feed and splash
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and storage battery
GASOLINE SYSTEM	Gravity
CLUTCH	Multiple disc in oil
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Semi-floating
STEERING GEAR	Screw and sleeve

Digitized by Google

COMMERCE MOTOR CAR COMPANY

DETROIT MICHIGAN

Price, Chassis	**$1340**
With Express Body	**1375**
With Covered Express Body	**1450**
With Stake Body	**1490**



COMMERCE ONE-TON TRUCK—E

COLOR	Body, green with gold stripe; running gear, orange with black stripe
CARRYING CAPACITY	2000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	126 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 3 inches, single solid
REAR TIRES	34 x 4 inches, single solid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	Storage battery
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Vacuum
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Internal gear
REAR AXLE	Semi-floating
STEERING GEAR	Worm and nut


In addition to above specifications, price includes windshield, ammeter and horn.

Digitized by Google

STEWART MOTOR CORPORATION

BUFFALO NEW YORK

Price, Chassis	**$1295**
With Open Express Body and Cab	**1420**
With Stake Platform Body and Cab	**1420**
1500-Pound	**750**
3000-Pound	**1695**
4000-Pound	**2195**



STEWART ONE-TON TRUCK—8


COLOR	Red
CARRYING CAPACITY	2000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	130 inches
GAUGE	56 inches
WHEELS	Wood
FRONT TIRES	34 x 3½ inches, single solid
REAR TIRES	34 x 4 inches, single solid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Contracting on transmission
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 5 inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Thermo-syphon
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Internal gear
REAR AXLE	Dead
STEERING GEAR	Worm and nut

Digitized by Google

STEWART MOTOR CORPORATION

BUFFALO NEW YORK

Price, Chassis	**$2195**
With Stake Platform Body	**2395**
1500-Pound	**750**
2000-Pound	**1295**
3000-Pound	**1695**



STEWART TWO-TON TRUCK—7


COLOR	Lead
CARRYING CAPACITY	4000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	156 or 174 inches
GAUGE	Front, 56 inches; rear, 61 inches
WHEELS	Wood
FRONT TIRES	34 x 4 inches, single solid
REAR TIRES	34 x 4 inches, dual solid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.23
BORE AND STROKE	4⅛ x 5¼ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Internal gear
REAR AXLE	Dead
STEERING GEAR	Worm and nut

Digitized by Google

REPUBLIC MOTOR TRUCK COMPANY
INCORPORATED

ALMA, MICHIGAN

Price, Chassis	**$2750**
With Stake Body	**2900**
With Express Body	**2950**



REPUBLIC THREE-AND-ONE-HALF-TON TRUCK—T


COLOR	Yellow with black stripe
CARRYING CAPACITY	7000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	165 inches
GAUGE	70½ inches
WHEELS	Steel
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	36 x 5 inches, dual solid
SERVICE BRAKE	Contracting on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	28.9
BORE AND STROKE	4¼ x 5½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto
LIGHTING SYSTEM	Electric and gas
GASOLINE SYSTEM	Gravity
CLUTCH	Dry disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Internal gear
REAR AXLE	Dead
STEERING GEAR	Worm and sector

Digitized by Google

WALTER MOTOR TRUCK COMPANY

49 WEST 66th ST.
NEW YORK, N. Y.

Price, Chassis	$5000
Six-Ton, Four-Wheel-Drive	5200
Seven-and-One-Half-Ton, Four Wheel-Drive	5500
Five-Ton, Rear Drive	4500
Six-Ton, Rear Drive	4750
Seven-and-One-Half-Ton, Rear Drive	5000



WALTER FOUR-WHEEL-DRIVE FIVE-TON TRUCK

COLOR	Lead
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	96 to 168 inches
GAUGE	Front, 66 inches; rear, 66 inches
WHEELS	Wood
FRONT TIRES	40 x 6 inches, single solid
REAR TIRES	40 x 6 inches, dual solid
SERVICE BRAKE	Contracting on transmission shaft
EMERGENCY BRAKE	Contracting on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	30.63
BORE AND STROKE	4⅜ x 6 inches
LUBRICATION	Force feed with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Spur gear to wheels
REAR AXLE	Dead
STEERING GEAR	Worm and gear


In addition to above specifications, price includes cab.

Digitized by Google

MORELAND MOTOR TRUCK COMPANY

LOS ANGELES
CALIFORNIA

Price, Chassis	**$4150**
One-Ton	**2050**
One-and-One-Half-Ton	**2750**
Two-and-One-Half-Ton	**3375**
Five-Ton	**5000**



MORELAND FOUR-TON TRUCK


COLOR	Red with black striping
CARRYING CAPACITY	8000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	162 or 186 inches
GAUGE	66½ inches
WHEELS	Steel
FRONT TIRES	36 x 5 inches, single solid
REAR TIRES	40 x 5 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	36.1
BORE AND STROKE	4¾ x 6¼ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Cellular
COOLING	Water pump
IGNITION	High tension magneto and dry cells
GASOLINE SYSTEM	Gravity
CLUTCH	Dry multiple disc
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Screw and nut

Digitized by Google

PEERLESS MOTOR CAR COMPANY

CLEVELAND, OHIO

Price, Chassis	**$4700**
Three-Ton	**4000**
Four-Ton	**4150**
Six-Ton	**5200**



PEERLESS FIVE-TON TRUCK—TC-5


COLOR	Lead
CARRYING CAPACITY	10,000 pounds
POSITION OF DRIVER	Right side
WHEELBASE	151 inches
GAUGE	73½ inches
WHEELS	Wood
FRONT TIRES	38 x 6 inches, single solid
REAR TIRES	42 x 6 inches, dual solid
SERVICE BRAKE	Contracting on jack shaft
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	In pairs
HORSEPOWER (N.A.C.C. Rating)	32.4
BORE AND STROKE	4½ x 6½ inches
LUBRICATION	Splash with circulating pump
RADIATOR	Tubular
COOLING	Water pump
IGNI ION	High tension magneto and storage battery
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Four forward, one reverse
DRIVE	Double chain
REAR AXLE	Dead
STEERING GEAR	Worm and gear

Digitized by Google

STERLING MOTOR TRUCK COMPANY

MILWAUKEE WISCONSIN

Price, Chassis	$4250
With Coal Dump Body	4675
With Gravel Dump Body	4600
With Flare-Board Body	4440
With Stake Body	4430
Two-and-One-Half-Ton	Prices Upon Application
Five-Ton	
Seven-Ton	



STERLING THREE-AND-ONE-HALF-TON TRUCK

Color	Gray
Carrying Capacity	7000 pounds
Position of Driver	Left side
Wheelbase	162 inches
Gauge	67 inches
Wheels	Wood
Front Tires	36 x 5 inches, single solid
Rear Tires	40 x 5 inches, dual solid
Service Brake	Expanding on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	In pairs
Horsepower (N.A.C.C. Rating)	28.9


Bore and Stroke	4¼ x 6¾ inches
Lubrication	Splash with circulating pump
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto and storage battery
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Vacuum
Clutch	Multiple disc in oil
Transmission	Selective
Gear Changes	Three forward, one reverse
Drive	Worm
Rear Axle	Full floating
Steering Gear	Screw and nut

Digitized by Google

FEDERAL MOTOR TRUCK COMPANY

DETROIT MICHIGAN

Chassis	Prices Upon Application
With Panel Body	
With Express Body	
With Stake Body	
With Steel Dump Body	
One-Ton	
One-and-One-Half-Ton	
Three-and-One-Half-Ton	



F-E-D-E-R-A-L FIVE-TON TRUCK—X


Color	Lead
Carrying Capacity	10,000 pounds
Position of Driver	Left side
Wheelbase	156 inches
Gauge	Front, 69¼ inches; rear, 70½ inches
Wheels	Steel
Front Tires	36 x 6 inches, single solid
Rear Tires	40 x 6 inches, dual solid
Service Brake	Expanding on rear wheels
Emergency Brake	Expanding on rear wheels
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	28.9
Bore and Stroke	4¼ x 5½ inches
Lubrication	Full force feed
Radiator	Tubular
Cooling	Water pump
Ignition	High tension magneto
Starting System	Two unit
Starter Operated	Gear to fly wheel
Lighting System	Electric
Voltages	Six
Wiring System	Single
Gasoline System	Gravity
Clutch	Single plate
Transmission	Selective sliding
Gear Changes	Four forward, one reverse
Drive	Worm
Rear Axle	Full floating
Steering Gear	Worm and gear

Digitized by Google

FEDERAL MOTOR TRUCK COMPANY

DETROIT MICHIGAN

Prices Upon Application



F-E-D-E-R-A-L ONE-TON TRUCK—S


COLOR	Lead
CARRYING CAPACITY	2000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	132 inches
GAUGE	Front, 58 inches; rear, 58 inches
WHEELS	Wood
FRONT TIRES	34 x 3 inches, single solid
REAR TIRES	34 x 4 inches, dual solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	19.6
BORE AND STROKE	3½ x 5½ inches
LUBRICATION	Full force feed
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
STARTING SYSTEM	Two unit
STARTER OPERATED	Gear to fly wheel
LIGHTING SYSTEM	Electric
VOLTAGES	Six
WIRING SYSTEM	Single
GASOLINE SYSTEM	Gravity
CLUTCH	Single plate
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and gear

Digitized by Google

BROCKWAY MOTOR TRUCK COMPANY

CORTLAND NEW YORK

Price, Chassis	**$2850**
With Open Express Body	**2960**
With Panel Top Body	**3110**
With Stake Body	**3050**
With Covered Express Body	**3085**
One-and-One-Half-Ton	**2450**
Three-and-One-Half-Ton	**3750**



BROCKWAY TWO-TON TRUCK—K-3


COLOR	Optional
CARRYING CAPACITY	4000 pounds
POSITION OF DRIVER	Left side
WHEELBASE	148 inches
GAUGE	61 inches
WHEELS	Wood
FRONT TIRES	36 x 4 inches, single solid
REAR TIRES	36 x 7 inches, single solid
SERVICE BRAKE	Expanding on rear wheels
EMERGENCY BRAKE	Expanding on rear wheels
CYLINDERS	Four
ARRANGED	Vertically
CAST	En bloc
HORSEPOWER (N.A.C.C. Rating)	27.23
BORE AND STROKE	4⅛ x 5¼ inches
LUBRICATION	Force feed and splash
RADIATOR	Tubular
COOLING	Water pump
IGNITION	High tension magneto
GASOLINE SYSTEM	Gravity
CLUTCH	Cone
TRANSMISSION	Selective sliding
GEAR CHANGES	Three forward, one reverse
DRIVE	Worm
REAR AXLE	Full floating
STEERING GEAR	Worm and wheel

Digitized by Google

NASH MOTORS
COMPANY

KENOSHA
WISCONSIN

Price, Chassis	$1875
One-Ton	1495
Two-Ton Quad	3250



NASH TWO-TON TRUCK—3017

Color	Lead
Carrying Capacity	4000 pounds
Position of Driver	Left side
Wheelbase	144 or 168 inches
Gauge	Front, 56½ inches; rear, 59½ inches
Wheels	Wood
Front Tires	34 x 4 inches, single solid
Rear Tires	34 x 6 inches, single solid
Service Brake	Contracting on rear wheels
Emergency Brake	Contracting on transmission
Cylinders	Four
Arranged	Vertically
Cast	En bloc
Horsepower (N.A.C.C. Rating)	22.5
Bore and Stroke	3¾ x 5¼ inches
Lubrication	Force feed and splash
Radiator	Tubular
Cooling	Water pump
Ignition	Generator and storage battery
Lighting System	Electric
Gasoline System	Gravity
Clutch	Plate
Transmission	Selective sliding
Gear Changes	Three forward, one reverse
Drive	Bevel and internal gear
Rear Axle	Dead
Steering Gear	Screw and nut

Digitized by Google

Digitized by Google

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

_____ 19

GENTLEMEN:—Please send me catalogue describing your automobiles shown in the HAND BOOK OF AUTOMOBILES, published by the National Automobile Chamber of Commerce, Inc., and oblige,

Name _____

Street _____ City _____

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

_____ 19

GENTLEMEN:—Please send me catalogue describing your automobiles shown in the HAND BOOK OF AUTOMOBILES, published by the National Automobile Chamber of Commerce, Inc., and oblige,

Name _____

Street _____ City _____

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

_____ 19

GENTLEMEN:—Please send me catalogue describing your automobiles shown in the HAND BOOK OF AUTOMOBILES, published by the National Automobile Chamber of Commerce, Inc., and oblige,

Name _____

Street _____ City _____

Digitized by Google

Digitized by Google

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

_____ 19

GENTLEMEN:—Please send me catalogue describing your automobiles shown in the HAND BOOK OF AUTOMOBILES, published by the National Automobile Chamber of Commerce, Inc., and oblige,

Name _____

Street _____ City _____

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

_____ 19

GENTLEMEN:—Please send me catalogue describing your automobiles shown in the HAND BOOK OF AUTOMOBILES, published by the National Automobile Chamber of Commerce, Inc., and oblige,

Name _____

Street _____ City _____

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

_____ 19

GENTLEMEN:—Please send me catalogue describing your automobiles shown in the HAND BOOK OF AUTOMOBILES, published by the National Automobile Chamber of Commerce, Inc., and oblige,

Name _____

Street _____ City _____

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google



H.G.
Ally

Digitized by Google



Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

THE NEW YORK PUBLIC LIBRARY
REFERENCE DEPARTMENT

This book is under no circumstances to be taken from the Building

Digitized by Google

MAY 5 1919

Digitized by Google

THE NEW YORK PUBLIC LIBRARY
REFERENCE DEPARTMENT

This book is under no circumstances to be taken from the Building

form 410

Digitized by Google

MAY 5 1919

Digitized by Google